Biochimie (1994) 76, 91–105
© Société française de biochimie et biologie moléculaire / Elsevier, Paris

Author index

A

Adachi T — *See* Rogers MJ *et al*, 1083
Aguie-Aguie G — *See* Petitfrere E *et al*, 427
Altschuh D — *See* Van Regenmortel MHV *et al*, 731
Andreeva IE — *See* Kurganov BI *et al*, 481
Andréola ML, Tharaud D, Litvak S, Tarrago-Litvak L, The ribonuclease H activity of HIV-1 reverse transcriptase: Further biochemical characterization and search of inhibitors, 127
Apirion D — *See* Miczak A and Apirion D, 473
Appelkvist EL — *See* Ericsson J *et al*, 167
Aristoy MC — *See* Flores M *et al*, 861
Arnold L — *See* Matousek J *et al*, 63
Arquès DG, Michel CJ, Identification and simulation of new non-random statistical properties common to different eukaryotic gene subpopulations, 399
Asai T — *See* Kogoma T *et al*, 89
Atabekov JG — *See* Morozov SYu *et al*, 659
Aubourg P, Mosser J, Douar AM, Sarde CO, Lopez J, Mandel JL, Adrenoleukodystrophy gene: Unexpected homology to a protein involved in peroxisome biogenesis, 293
Austin J, Dosanjh MK, Fraenkel-Conrat H, Further studies of the mixed acetals of nucleosides, 511

B

Bachir Bioukar E, Deschatrette J, Update on genetic and molecular investigations of diseases with general impairment of peroxisomal functions, 303
Badaoui S — *See* Schmid HP *et al*, 905
Balazs E — *See* Kollar A *et al*, 623
Balcerzak D — *See* Elamrani N *et al*, 849
Balmori E, Gilmer D, Richards K, Guilley H, Jonard G, Mapping the promoter for subgenomic RNA synthesis on beet necrotic yellow vein virus RNA 3, 517
Bar-Tana J — *See* Hertz R *et al*, 257
Barcena JA — *See* Martinez-Galisteo E *et al*, 803
Bardsley RG — *See* Speck PA *et al*, 917 — *See* Speck PA *et al*, 925
Barnard KG — *See* Kogoma T *et al*, 89
Barth PG — *See* Wanders RJA *et al*, 269
Baty D — *See* Lloubès R *et al*, 451
Baumgart E — *See* Fahimi HD *et al*, 201
Beaudouin-Lafon M, An overview of human-computer interaction, 321
Béchet D, Dransfield E, Ouali A, Systematic degradation of cellular proteins: An introduction to the Workshop, 837
Béchet D — *See* Rhaissi H *et al*, 899
Bedouelle H, Guez-Ivanier V, Nageotte R, Discrimination between transfer-RNAs by tyrosyl-tRNA synthetase, 1099
Benbernou N, Matsiota-Bernard P, Guenounou M, Effect of cytokine-specific antisense oligonucleotides of the immunoglobulin production by rat spleen cells *in vitro*, 55
Beniashvili DSh — *See* Loktionova NA *et al*, 821
Benveniste P — *See* Ullmann P *et al*, 713
Berezovskii MV — *See* Levina AS *et al*, 25
Berg EA — *See* Stapleton SR *et al*, 971
Bergan R — *See* Rosolen A *et al*, 79
Bernadac A — *See* Lloubès R *et al*, 451
Berri M — *See* Zabari M *et al*, 937
Beyer A — *See* Kunau WH *et al*, 209
Bidwell CA — *See* Sun W *et al*, 931
Bieri F, Lhuguenot JC, Toxicity of peroxisome proliferators, 263
Black T — *See* Diener TO *et al*, 533
Blanchard P, Ellis M, Maltin C, Falkous G, Harris JB, Mantle D, Effect of growth promoters on pig muscle structural protein and proteolytic enzyme levels *in vivo* and *in vitro*, 839
Blanquet S — *See* Meinnel T *et al*, 1061 — *See* Hountondji C *et al*, 1137
Blatt NB, Osborne SE, Cain RJ, Glick GD, Conformational studies of hairpin sequences from the ColE1 cruciform, 433
Blatt JM — *See* Jackson JH *et al*, 759
Blonski C — *See* Pascolo E *et al*, 43
Boissonnet G — *See* Schmid HP *et al*, 905
Boutorine AS, Kostina EV, Reversible covalent attachment of cholesterol to oligodeoxyribonucleotides for studies of the mechanisms of their penetration into eucaryotic cells, 35
Bouvier-Navé P — *See* Ullmann P *et al*, 713
Bove JM — *See* Navas-Castillo J *et al*, 675
Brézillon PJ, Zaraté P, Saci F, Artificial intelligence approach in analysis of DNA sequences, 337
Briand M — *See* Schmid HP *et al*, 905
Briand Y — *See* Schmid HP *et al*, 905
Brierley KM — *See* Mayo M *et al*, 639
Brunel C, Romby P, Moine H, Caillet J, Grunberg-Manago M, Springer M, Ehresmann B, Ehresmann C, Translational regulation of the *Escherichia coli* threonyl-tRNA synthetase gene: Structural and functional importance of the *thrS* operator domains, 1167
Brustis JJ — *See* Elamrani N *et al*, 849 — *See* Poussard S *et al*, 885
Buri J — *See* Schmid HP *et al*, 905
Buttery PJ — *See* Speck PA *et al*, 917 — *See* Speck PA *et al*, 925
Büsen W — *See* Cazenave C *et al*, 113

C

Caboche M — *See* Godon C *et al*, 591
Cadwell GW — *See* Kogoma T *et al*, 89
Caillet J — *See* Brunel C *et al*, 1167
Cain RJ — *See* Blatt NB *et al*, 433
Cami B, Clepet C, Patte JC, Evolutionary comparisons of three enzymes of the threonine biosynthetic pathway among several microbial species, 487
Casale R — *See* Sinha ND *et al*, 13
Casper R — *See* Morozov SYu *et al*, 659
Cavarelli J, Rees B, Thierry JC, Moras D, Yeast aspartyl-tRNA synthetase: A structural view of the aminoacylation reaction, 1117
Cazenave C, Frank P, Büsen W, Characterization of ribonuclease H activities present in two cell-free synthesizing systems, the wheat germ extract and the rabbit reticulocyte lysate, 113
Cerf R — *See* Mutombo K *et al*, 667
Cerritelli SM, Shin DY, Chen HC, Gonzales M, Crouch RJ, Proteolysis of *Saccharomyces cerevisiae* RNase H1 in *E coli*, 107
Chabouté ME, Chaubet N, Gigot C, Philipps G, Histones and histone genes in higher plants: Structure and genomic organization, 523
Chandraprakash Y — *See* Fadnavis NW *et al*, 995
Chang CJ — *See* Navas-Castillo J *et al*, 675
Chaubet N — *See* Chabouté ME *et al*, 523
Chavany C — *See* Rosolen A *et al*, 79
Chebotareva NA — *See* Kurganov BI *et al*, 481
Chen HC — *See* Cerritelli SM *et al*, 107
Chiche L — *See* Gracy J *et al*, 353
Chua KL, Mak YK, Oliver P, Expression of the *recA* gene in recombination-deficient (*rec*$^-$) strains of *Escherichia coli*, 775
Clepet C — *See* Cami B *et al*, 487
Collingwood KM — *See* Speck PA *et al*, 917 — *See* Speck PA *et al*, 925
Cottin P — *See* Elamrani N *et al*, 849 — *See* Poussard S *et al*, 885
Criqui MC — *See* Durr A *et al*, 539
Crouch RJ — *See* Rosolen A *et al*, 79 — *See* Ennis DG and Crouch RJ, 101 — *See* Cerritelli SM *et al*, 107
Cusack S, Sequence, structure and evolutionary relationship between class 2 aminoacyl tRNA synthetases: An update, 1077

D

Dallner G — *See* Ericsson J *et al*, 167
Dalmay T — *See* Kollar A *et al*, 623

Danchin A, Informatics and genome sequencing programs, 319
Daniel-Vedele F — *See* Godon C *et al*, 591
Dannull J — *See* Volkmann S *et al*, 71
Danpure CJ, Primary hyperoxaluria type 1 and peroxisome-to-mitochondrion mistargeting of alanine:glyoxylate aminotransferase, 309
Davis P — *See* Sinha ND *et al*, 13
De Araujo-Novaes M, Denizot F, An automatic approach for DNA sequencing, 347
Dedic P — *See* Matousek J *et al*, 63
Del Barrio AS — *See* Pascual M *et al*, 879
Denisenko ON — *See* Morozov SYu *et al*, 659
Denizot F — *See* De Araujo-Novaes M and Denizot F, 347
Deschatrette J — *See* Bachir Bioukar E and Deschatrette J, 303
Deshpande A — *See* Fadnavis NW *et al*, 995
Dessen P — *See* Hountondji C *et al*, 1137
Diener TO, Hammond RW, Black T, Katze MG, Mechanism of viroid pathogenesis: Differential activation of the interferon-induced, double-stranded RNA-activated, M_r 68000 protein kinase by viroid strains of varying pathogenicity, 533
Dobrikov MI — *See* Levina AS *et al*, 25
Domingos A — *See* Karmali A and Domingos A, 1001
Dosanjh MK — *See* Austin J *et al*, 511
Douar AM — *See* Aubourg P *et al*, 293
Dreher TW — *See* Giegé R *et al*, 569
Ducastaing A — *See* Elamrani N *et al*, 849 — *See* Poussard S *et al*, 885
Dupuis L — *See* Raphel V *et al*, 891
Durr A, Jamet E, Criqui MC, Genschik P, Parmentier Y, Marbach J, Plesse B, Lett MC, Vernet T, Fleck J, Why are quiescent mesophyll protoplasts from *Nicotiana sylvestris* able to re-enter into the cell cycle and re-initiate a mitotic activity?, 539
Dyson MR, Mandal N, RajBhandary UL, Relationship between the structure and function of *Escherichia coli* initiator tRNA, 1051

E

Ebert PJ — *See* Sun W *et al*, 931
Eder PS, Walder RY, Walder JA, Substrate specificity of human RNase H1 and its role in excision repair of ribose residues misincorporated in DNA, 123
Ehresmann B — *See* Paoletti J *et al*, 681 — *See* Brunel C *et al*, 1167
Ehresmann C — *See* Paoletti J *et al*, 681 — *See* Brunel C *et al*, 1167
Elamrani N, Balcerzak D, Soriano M, Brustis JJ, Cottin P, Poussard S, Ducastaing A, Evidence for fibronectin degradation by calpain II, 849 — *See* Poussard S *et al*, 885
Ellis M — *See* Blanchard P *et al*, 839
Ennis DG, Crouch RJ, Analysis of mutagenesis induced by expression of retroviral reverse transcriptase in *Escherichia coli*, 101
Ericsson J, Appelkvist EL, Runquist M, Dallner G, Biosynthesis of dolichol and cholesterol in rat liver peroxisomes, 167
Eronina TB — *See* Kurganov BI *et al*, 481
Ertbjerg P — *See* Iversen P *et al*, 869
Escudero B, Parra F, Suarez-Rendueles P, Purification and characterization of the endogenous inhibitor for proteinase B from *Schizosaccaharomyces pombe*, 855
Espeel M — *See* Roels F *et al*, 281

F

Fadnavis NW, Chandraprakash Y, Deshpande A, Protein-protein interactions in reverse micelles: Trypsin shows superactivity towards a protein substrate -chymotrypsinogen A in reverse micelles of sodium bis(2-ethylhexyl)sulfosuccinate (AOT) in isooctane, 995
Fahimi HD, Baumgart E, Völkl A, Ultrastructural aspects of the biogenesis of peroxisomes in rat liver, 201
Falkous G — *See* Blanchard P *et al*, 839
Fargette D, Muniyappa V, Fauquet C, N'Guessan P, Thouvenel JC, Comparative epidemiology of three tropical whitefly-transmitted geminiviruses, 547
Fauquet C — *See* Fargette D *et al*, 547
Favre G — *See* Gueddari N *et al*, 811
Fedorkin ON — *See* Morozov SYu *et al*, 659
Fedorova OS — *See* Frolova EI *et al*, 5
Felden B, Florentz C, Westhof E, Giegé R, Non-canonical substrates of aminoacyl-tRNA synthetases: The tRNA-like structure of brome mosaic virus genomic RNA,1143
Ferguson A, Matthews REF, Mosaic disease induced by turnip yellow mosaic *Tymovirus*, 555
Ferrara M — *See* Rhaissi H *et al*, 899
Fiers W — *See* Patestos NP *et al*, 1007
Filppula SA — *See* Hiltunen JK *et al*, 175
Fleck J — *See* Durr A *et al*, 539
Florentz C — *See* Giegé R *et al*, 569 — *See* Felden B *et al*,1143
Flores M, Aristoy MC, Toldra F, HPLC purification and characterization of porcine muscle aminopeptidase B, 861
Fontecave M, Pierre JL, Iron: Metabolism, toxicity and therapy, 767
Förster C, Limmer S, Ribeiro S, Hilgenfeld R, Sprinzl M, Ternary complex between elongation factor Tu.GTP and Phe-tRNA^{Phe}, 1159
Fraenkel-Conrat H — *See* Austin J *et al*, 511
Frank P — *See* Cazenave C *et al*, 113
Franken T — *See* Kunau WH *et al*, 209
Frenette M — *See* Lloubès R *et al*, 451
Fritig B — *See* Stintzi A *et al*, 687
Fritsch C, Mayo M, Hemmer O, Properties of the satellite RNA of nepoviruses, 561
Frolova EI, Fedorova OS, Knorre DG, Kinetic study of the addressed modification by hemin derivatives of oligonucleotides, 5

G

Gabriel K — *See* McClain WH *et al*,1125
Garcia-Alfonso C — *See* Martinez-Galisteo E *et al*, 803
Garel JR — *See* Le Bras G and Garel JR, 797
Gascuel O, Inductive learning and biological sequence analysis. The PLAGE program, 363
Gautier C — *See* Perrière G and Gautier C, 415
Geldreich A — *See* Mesnard JM *et al*, 645
Géli V — *See* Lloubès R *et al*, 451
Genschik P — *See* Durr A *et al*, 539
Geoffroy P — *See* Stintzi A *et al*, 687
Giegé R, Florentz C, Dreher TW, The TYMV tRNA-like structure, 569 — *See* Felden B *et al*,1143
Gigot C — *See* Chabouté ME *et al*, 523
Gilmer D — *See* Balmori E *et al*, 517 — *See* Speck PA *et al*, 917
Gilmour RS — *See* Speck PA *et al*, 925
Ginsberg LC — *See* Stapleton SR *et al*, 971
Girard M, The needs and hopes for an AIDS vaccine, 583
Girard PM — *See* Paoletti J *et al*, 681
Glick GD — *See* Blatt NB *et al*, 433
Godon C, Caboche M, Daniel-Vedele F, Transient plant gene expression: A simple and reproducible method based on flowing particle gun, 591
Gonzales M — *See* Cerritelli SM *et al*, 107
Goodman BA — *See* Mayo M *et al*, 639
Gotoh S — *See* Shibata K *et al*, 459
Götte K — *See* Kunau WH *et al*, 209
Gracy J, Chiche L, Sallantin J, Learning and alignment methods applied to protein structure prediction, 353
Green S — *See* Issemann I *et al*, 251
Gronenborn B — *See* Heyraud F *et al*, 605
Grunberg-Manago M — *See* Brunel C *et al*,1167
Gueddari N, Favre G, Hachem H, Marek E, Le Gaillard F, Soula G, Evidence for up-regulated low density lipoprotein receptor in human lung adenocarcinoma cell line A549, 811
Guenounou M — *See* Benbernou N *et al*, 55
Guez-Ivanier V — *See* Bedouelle H *et al*, 1099
Guilley H — *See* Balmori E *et al*, 517
Gupta KC — *See* Ramalho Ortigao JF *et al*, 29

H

Hachem H — *See* Gueddari N *et al*, 811
Haegeman G — *See* Patestos NP *et al*, 1007
Hakkola EH — *See* Hiltunen JK *et al*, 175
Hammond RW — *See* Diener TO *et al*, 533
Hancock DL — *See* Sun W *et al*, 931

Hans F, Pinck M, Pinck L, Location of the replication determinants of the satellite RNA associated with grapevine fanleaf nepovirus (strain F13), 597
Hardeman D — *See* van den Bosch H *et al*, 183
Harris JB — *See* Blanchard P *et al*, 839
Harrison BD — *See* Swanson MM and Harrison BD, 707
Hayashi N — *See* Niimi T *et al*, 1109
Haye B — *See* Petitfrere E *et al*, 427
Häyrinen HM — *See* Hiltunen JK *et al*, 175
Heitz T — *See* Stintzi A *et al*, 687
Hemmer O — *See* Fritsch C *et al*, 561
Herring PA — *See* Jackson JH *et al*, 759
Hertz R, Kalderon B, Bar-Tana J, Thyromimetic effect of peroxisome proliferators, 257
Hervé M — *See* Wietzerbin J *et al*, 825
Heyraud F, Matzeit V, Schaefer S, Schell J, Gronenborn B, The conserved nonanucleotide motif of the geminivirus stem-loop sequence promotes replicational release of virus molecules from redundant copies, 605
Higashi K — *See* Shibata K *et al*, 459
Hilgenfeld R — *See* Förster C *et al*, 1159
Hiltunen JK, Filppula SA, Häyrinen HM, Koivuranta KT, Hakkola EH, Peroxisomal ß-oxidation of polyunsaturated fatty acids, 175
Hirano H — *See* Shibata K *et al*, 459
Hiranuma K — *See* Shibata K *et al*, 459
Hocquellet A — *See* Navas-Castillo J *et al*, 675
Hodge R — *See* Sinha ND *et al*, 13
Hohn B — *See* Koukolikova-Nicola Z and Hohn B, 635
Hong X — *See* Kogoma T *et al*, 89
Hountondji C, Dessen P, Blanquet S, The SKS of the KMSKS signature of class I aminoacyl-tRNA synthetases corresponds to the GKT/S sequence characteristic of the ATP-binding site of many proteins, 1137
Houwing CJ, Jaspars EMJ, Coat protein stimulates replication complexes of alfalfa mosaic virus to produce virion RNAs *in vitro*, 617

I-J

Inokuchi H — *See* Rogers MJ *et al*,1083
Ishiura S — *See* Shimokawa M *et al*, 911
Issemann I, Prince RA, Tugwood JD, Green S, The retinoid X receptor enhances the function of the peroxisome proliferator activated receptor, 251
Iversen P, Ertbjerg P, Larsen LM, Monllao S, Moller AJ, An FPLC method for determination of calpains and calpastatin in porcine m longissimus dorsi, 869
Jackson JH, Herring PA, Patterson EB, Blatt JM, A mechanism for valine-resistant growth of *Escherichia coli* K-12 supported by the valine-sensitive acetohydroxy acid synthase IV activity from *ilvJ662*, 759
Jahn M — *See* Wright DJ *et al*, 1041
Jamet E — *See* Durr A *et al*, 539
Jaspars EMJ — *See* Houwing CJ and Jaspars EMJ, 617
Jeffrey IW, Pain VM, Stimulation by insulin of protein synthesis in cultured chick embryo fibroblasts, 791
Ji SQ — *See* Sun W *et al*, 931
Jonard G — *See* Balmori E *et al*, 517

K

Kahle D, Küst B, Krupp G, Phosphorothioates in pre-tRNAs can change the specificities of RNAses P or reduce the cleavage efficiencies, 955
Kalderon B — *See* Hertz R *et al*, 257
Kalman ET — *See* Rosolen A *et al*, 79
Kamboj RC, Pal S, Raghav N, Singh H, A selective colorimetric assay for cathepsin L using Z-Phe-Arg-4-methoxy-ß-naphthylamide, 873
Kammen (van) J — *See* Wellink J *et al*, 741
Kaper JM — *See* Wu G *et al*, 749
Karmali A, Domingos A, Monoclonal antibodies against urease from *Canavalia ensiformis*, 1001
Katze MG — *See* Diener TO *et al*, 533
Kauffmann S — *See* Stintzi A *et al*, 687
Kawai G — *See* Niimi T *et al*,1109
Kazanova OI — *See* Loktionova NA *et al*, 821
Kenmochi N — *See* Maeda N *et al*, 785
Kindl H, Fatty acid degradation in plant peroxisomes: Function and biosynthesis of the enzymes involved, 225
Kisselev LL, Mammalian tryptophanyl-tRNA synthetases, 1027
Kiuchi N — *See* Ogata M *et al*, 977
Kletzien RF — *See* Stapleton SR *et al*, 971
Knibiehler M — *See* Lloubès R *et al*, 451
Knorre DG — *See* Frolova EI *et al*, 5
Kogoma T, Hong X, Cadwell GW, Barnard KG, Asai T, Requirement of homologous recombination functions for viability of the *Escherichia coli* cell that lacks RNase H1 and exonuclease V activities, 89
Kohno T — *See* Niimi T *et al*, 1109
Koivuranta KT — *See* Hiltunen JK *et al*, 175
Kollar A, Thole V, Dalmay T, Salamon P, Balazs E, Efficient pathogen-derived resistance induced by integrated potato virus Y coat protein gene in tobacco, 623
Konevetz DA — *See* Svinarchuk FP *et al*, 49
Kostina EV — *See* Boutorine AS and Kostina EV, 35
Koukolikova-Nicola Z, Hohn B, How does the T-DNA of *Agrobacterium tumefaciens* find its way into the plant cell nucleus, 635
Kremsky J — *See* Sinha ND *et al*, 13
Kreutzer-Schmid C — *See* Schmid HP *et al*, 905
Krupp G, Antisense oligoribonucleotides and RNase P. A great potential, 135
— *See* Kahle D *et al*, 955
Kunau WH, Beyer A, Franken T, Götte K, Marzioch M, Saidowsky J, Skaletz-Rorowski A, Wiebel FF, Two complementary approaches to study peroxisome biogenesis in *Saccharomyces cerevisiae*: Forward and reversed genetics, 209
Kung SD — *See* Wu G *et al*, 749
Kurganov BI, Schors EI, Livanova NB, Chebotareva NA, Eronina TB, Andreeva IE, Makeeva VP, Pekel ND, Effect of flavins on the rate of proteolytic digestion of muscle glycogen phosphorylase *b*, 481
Küst B — *See* Kahle D *et al*, 955
Kyle E — *See* Rosolen A *et al*, 79

L

Laigret F — *See* Navas-Castillo J *et al*, 675
Lalou CI, Lederer F, Affinity labeling of bovine brain protein kinase C by tosyl lysyl chloromethane. A kinetic study, 443
Lambert AM — *See* Vantard M *et al*, 725
Larralde J — *See* Pascual M *et al*, 879
Larsen LM — *See* Iversen P *et al*, 869
Latruffe N — *See* Pacot C and Latruffe N, 235
Lazdunski C — *See* Lloubès R *et al*, 451
Le Bras G, Garel JR, Pyruvate kinase from *Lactobacillus bulgaricus*: Possible regulation by competition between strong and weak effectors, 797
Le Gaillard F — *See* Gueddari N *et al*, 811
Lebbe J, Vignes R, Local predictability in biological sequences, algorithm and applications, 371
Lebeurier G — *See* Mesnard JM *et al*, 645
Lederer F — *See* Lalou CI and Lederer F, 443
Legrand M — *See* Stintzi A *et al*, 687
Leplatois P — *See* Lloubès R *et al*, 451
Lerman IC, Likelihood linkage analysis (LLA) classification method: An example treated by hand, 379
Lett MC — *See* Durr A *et al*, 539
Levina AS, Berezovskii MV, Venjaminova AG, Dobrikov MI, Repkova MN, Zarytova VF, Photomodification of RNA and DNA fragments by oligonucleotide reagents bearing arylazide groups, 25
Lhuguenot JC — *See* Bieri F and Lhuguenot JC, 263
Likhachev AJ — *See* Loktionova NA *et al*, 821
Limmer S — *See* Förster C *et al*,1159
Litvak S — *See* Andréola ML *et al*, 127
Livanova NB — *See* Kurganov BI *et al*, 481
Lloubès R, Vita N, Bernadac A, Shire D, Leplatois P, Géli V, Frenette M, Knibiehler M, Lazdunski C, Baty D, Colicin A lysis protein promotes extracellular release of active human growth hormone accumulated in *Escherichia coli* cytoplasm, 451
Loktionova NA, Beniashvili DSh, Sartania MS, Zabezhinski MA, Kazanova OI, Petrov AS, Likhachev AJ, Individual levels of activity of O6-alkylguanine-DNA alkyltransferase in monkey gastric mucosa during chronic exposure to a gastrocarcinogen N-ethyl-N'-nitro-N-nitrosoguanidine, 821
Lopez J — *See* Aubourg P *et al*, 293
Lopez-Barea J — *See* Martinez-Galisteo E *et al*, 803
Lupi N — *See* Raphel V *et al*, 891

M

Maeda N, Kenmochi N, Tanaka T, The complete nucleotide sequence of chicken ribosomal protein L7a gene and the multiple factor binding sites in its 5'-flanking region, 785
Maiss E — *See* Morozov SYu *et al*, 659
Mak YK — *See* Chua KL *et al*, 775
Makarov EM, Oleinikov AV, Zecherle GN, Traut RR, Zero-length cross-linking of the C-terminal domain of *Escherichia coli* ribosomal protein L7/L12 to L10 in the ribosome and in the $(L7/L12)_4$-L10 pentameric complex, 963
Makeeva VP — *See* Kurganov BI *et al*, 481
Maltin C — *See* Blanchard P *et al*, 839
Mandal N — *See* Dyson MR *et al*,1051
Mandel H — *See* Roels F *et al*, 281
Mandel JL — *See* Aubourg P *et al*, 293
Mannaerts GP, Van Veldhoven PP, Metabolic pathways in mammalian peroxisomes, 147
Mantle D — *See* Blanchard P *et al*, 839
Marbach J — *See* Durr A *et al*, 539
Marek E — *See* Gueddari N *et al*, 811
Martinez JA — *See* Pascual M *et al*, 879
Martinez-Galisteo E, Padilla CA, Garcia-Alfonso C, Lopez-Barea J, Barcena JA, Purification and properties of bovine thioredoxin system, 803
Martinis SA — *See* Wright DJ *et al*, 1041
Martiny L — *See* Petitfrere E *et al*, 427
Maruyama K — *See* Shimokawa M *et al*, 911
Marzioch M — *See* Kunau WH *et al*, 209
Matousek J, Trnena L, Arnold L, Dedic P, Rakousky S, Steger G, Riesner D, Inhibition of potato spindle tuber viriod (PSTVd) infection with DNA oligonucleotides, 63
Matsiota-Bernard P — *See* Benbernou N *et al*, 55
Matthews REF — *See* Ferguson A and Matthews REF, 555
Matzeit V — *See* Heyraud F *et al*, 605
Mayo M — *See* Fritsch C *et al*, 561, ***, Brierley KM, Goodman BA, Developments in the understanding of the particle structure of tobraviruses, 639
McClain WH, Schneider J, Gabriel K, Association of $tRNA^{Gln}$ acceptor identity with phosphate-sugar backbone interactions observed in the crystal structure of *Escherichia coli* glutaminyl-tRNA synthetase-$tRNA^{Gln}$ complex, 1125
Mechulam Y — *See* Meinnel T *et al*,1061
Meinnel T, Mechulam Y, Blanquet S, Methionine as translation start signal: A review of the enzymes of the pathway in *Escherichia coli*, 1061
Mesnard JM, Mougeot JL, Geldreich A, Lebeurier G, Characterization of different electrophoretic forms of cauliflower mosaic virus virions (strain Cabb-S), 645
Michel CJ — *See* Arquès DG and Michel CJ, 399
Michels PAM — *See* Opperdoes FR and Michels PAM, 231
Michels B — *See* Mutombo K *et al*, 667
Miczak A, Apirion D, The *rne* gene and ribonuclease E, 473
Mita T — *See* Shibata K *et al*, 459
Miyatake T — *See* Shimokawa M *et al*, 911
Miyazawa T — *See* Niimi T *et al*, 1109
Moelling K — *See* Volkmann S *et al*, 71
Moine H — *See* Brunel C *et al*, 1167
Moller AJ — *See* Iversen P *et al*, 869
Monllao S — *See* Iversen P *et al*, 869
Moras D, Structural aspects and evolutionary implications of the recognition between tRNAs and aminoacyl-tRNA synthetases, 651 — *See* Cavarelli J *et al*, 1117
Morley SJ, Traugh JA, Stimulation of translation in 3T3-L1 cells in response to insulin and phorbol ester is directly correlated with increased phosphate labelling of initiation factor (eIF-) 4F and ribosomal protein S6, 985
Morozov SYu, Denisenko ON, Zelenina DA, Fedorkin ON, Solovyev AG, Maiss E, Casper R, Atabekov JG, A novel open reading frame in tobacco virus genome coding for a putative small, positively charged protein, 659
Mosser J — *See* Aubourg P *et al*, 293
Mosyak L, Safro M, Phenylalanyl-tRNA synthetase from *Thermus thermophilus* has four antiparallel folds of which only two are catalytically functional, 1091
Mougel M — *See* Paoletti J *et al*, 681
Mougeot JL — *See* Mesnard JM *et al*, 645
Muniyappa V — *See* Fargette D *et al*, 547
Muto Y — *See* Niimi T *et al*, 1109
Mutombo K, Michels B, Ott H, Cerf R, Witz J, The thermal stability and decapsidation mechanism of tymoviruses: A differential calorimetric study, 667

N

N'Guessan P — *See* Fargette D *et al*, 547
Nageotte R — *See* Bedouelle H *et al*, 1099
Nakamura H — *See* Shibata K *et al*, 459
Nakamura K — *See* Shimokawa M *et al*, 911
Namane A — *See* Wietzerbin J *et al*, 825
Nath R, Properties of Barrier, a novel *Saccharomyces cerevisiae* acid protease, 467
Navas-Castillo J, Laigret F, Hocquellet A, Chang CJ, Bove JM, Evidence for a phosphoenolpyruvate dependent sugar-phosphotransferase system in the mollicute *Acholeplasma florum*, 675
Neckers L — *See* Rosolen A *et al*, 79
Neumann JM — *See* Wietzerbin J *et al*, 825
Niimi T, Kawai G, Takayanagi M, Noguchi T, Hayashi N, Kohno T, Muto Y, Watanabe K, Miyazawa T, Yokoyama S, A ^{15}N-^{1}H nuclear magnetic resonance study on the interaction between isoleucine tRNA and isoleucyl-tRNA synthetase from *Escherichia coli*, 1109
Noguchi T — *See* Niimi T *et al*, 1109

O

Oddy HV — *See* Speck PA *et al*, 925
Ogata M, Kiuchi N, Yagi T, Characterization and redox properties of high molecular mass cytochrome c_3 (Hmc) isolated from *Desulfovibrio vulgaris* Miyazaki, 977
Oleinikov AV — *See* Makarov EM *et al*, 963
Oliver P — *See* Chua KL *et al*, 775
Opperdoes FR, Michels PAM, The glycosomes of the Kinetoplastida, 231
Osborne SE — *See* Blatt NB *et al*, 433
Ossendorp BC, Wirtz KWA, The non-specific lipid-transfer protein (sterol carrier protein 2) and its relationship to peroxisomes, 191
Osumi T, Structure and expression of the genes encoding peroxisomal ß-oxidation enzymes, 243
Ott H — *See* Mutombo K *et al*, 667
Ouali A — *See* Béchet D *et al*, 837
Ouali A — *See* Zabari M *et al*, 937

P

Pacot C, Latruffe N, Biochemical properties of liver peroxisomes from rat, guinea pig and human species and the influence of hormonal status on rat liver acyl-CoA oxidase mRNA content, 235
Padilla CA — *See* Martinez-Galisteo E *et al*, 803
Pain VM — *See* Jeffrey IW and Pain VM, 791
Pal S — *See* Kamboj RC *et al*, 873
Panagakos FS, Insulin-like growth factors-I and -II stimulate chemotaxis of osteoblasts isolated from fetal rat calvaria, 991
Paoletti J, Mougel M, Tounekti N, Girard PM, Ehresmann C, Ehresmann B, Spontaneous dimerization of retroviral MoMuLV RNA, 681
Parmentier Y — *See* Durr A *et al*, 539
Parra F — *See* Escudero B *et al*, 855
Pascolo E, Blonski C, Shire D, Toulmé JJ, Antisense effect of oligodeoxynucleotides complementary to the mini-exon sequence of the protozoan parasite *Leishmania amazonensis*, 43
Pascual M, Del Barrio AS, Portillo MP, Martinez JA, Larralde J, Tissue protein turnover in animals treated with the mixed ß-agonist metaproterenol: Influence of dose, route and pattern of administration, 879
Patestos NP, Haegeman G, Vandevoorde V, Fiers W, Activation of the nuclear factor κB is not sufficient for regulation of tumor necrosis factor-induced interleukin-6 gene expression, 1007
Patte JC — *See* Cami B *et al*, 487
Patterson EB — *See* Jackson JH *et al*, 759
Pedersen JI, Peroxisomal oxidation of the steroid side chain in bile acid formation, 159
Pérez J — *See* Sinha ND *et al*, 13

Pekel ND — *See* Kurganov BI *et al*, 481
Perrière G, Gautier C, ColiGene: Object-centered representation for the study of *E coli* gene expressivity by sequence analysis, 415
Peter C — *See* Vantard M *et al*, 725
Petitfrere E, Aguie-Aguie G, Sartelet H, Martiny L, Haye B, Partial characterization of a glycosylphosphatidyl-inositol (GPI) in porcine thyroid cultured cells, 427
Petrov AS — *See* Loktionova NA *et al*, 821
Philipps G — *See* Chabouté ME *et al*, 523
Pierre JL — *See* Fontecave M and Pierre JL, 767
Pinck M — *See* Hans F *et al*, 597
Pinck L — *See* Hans F *et al*, 597
Plateau D, The fundamentals of object-oriented database management systems, 331
Plesse B — *See* Durr A *et al*, 539
Pliasunova OA — *See* Svinarchuk FP *et al*, 49
Poggi F — *See* Roels F *et al*, 281
Pokrovsky AG — *See* Svinarchuk FP *et al*, 49
Portillo MP — *See* Pascual M *et al*, 879
Pouch MN — *See* Schmid HP *et al*, 905
Poussard S — *See* Elamrani N *et al*, 849, ***, Cottin P, Brustis JJ, Talmat S, Elamrani N, Ducastaing A, Quantitative measurement of calpain I and II mRNAs in differentiating rat muscle cells using a competitive polymerase chain reaction method, 885
Prasad V — *See* Stintzi A *et al*, 687
Prince RA — *See* Issemann I *et al*, 251
Puigserver A — *See* Raphel V *et al*, 891

R

Raghav N — *See* Kamboj RC *et al*, 873
RajBhandary UL — *See* Dyson MR *et al*,1051
Rakousky S — *See* Matousek J *et al*, 63
Ramalho Ortigao JF, Rück A, Gupta KC, Rösch R, Steiner R, Seliger H, Solid-phase introduction and intracellular photoinduced reaction of a water-soluble meso-tetracarboxyporphine conjugated to an antisense oligodeoxyribonucleotide, 29
Rank KB — *See* Stapleton SR *et al*, 971
Raphel V, Lupi N, Dupuis L, Puigserver A, The N-acylpeptide hydrolase from porcine intestine: Isolation, subcellular localization and comparative hydrolysis of peptide and isopeptide bonds, 891
Rees B — *See* Cavarelli J *et al*,1117
Repkova MN — *See* Levina AS *et al*, 25
Rhaissi H, Béchet D, Ferrara M, Multiple leader sequences for mouse cathepsin B mRNA?, 899
Ribadeau-Dumas B — *See* Zabari M *et al*, 937
Ribeiro S — *See* Förster C *et al*,1159
Richards K — *See* Balmori E *et al*, 517
Riesner D — *See* Matousek J *et al*, 63
Rimmele D — *See* Ullmann P *et al*, 713
Roels F, Espeel M, Poggi F, Mandel H, Van Maldergem L, Saudubray JM, Human liver pathology in peroxisomal diseases: A review including novel data, 281
Rogers MJ, Weygand-Durasevic I, Schwob E, Sherman JM, Rogers KC, Adachi T, Inokuchi H, Söll D, Selectivity and specificity in the recognition of tRNA by *E coli* glutaminyl-tRNA synthetase, 1083
Rogers KC — *See* Rogers MJ *et al*, 1083
Romby P — *See* Brunel C *et al*, 1167
Rosolen A, Kyle E, Chavany C, Bergan R, Kalman ET, Crouch RJ, Neckers L, Effect of over-expression of bacterial ribonuclease H on the utility of antisense MYC oligodeoxynucleotides in the monocytic leukemia cell line U937, 79
Rouchon P — *See* Zabari M *et al*, 937
Runquist M — *See* Ericsson J *et al*, 167
Rück A — *See* Ramalho Ortigao JF *et al*, 29
Rösch R — *See* Ramalho Ortigao JF *et al*, 29

S

Saci F — *See* Brézillon PJ *et al*, 337
Safro M — *See* Mosyak L and Safro M, 1091
Saidowsky J — *See* Kunau WH *et al*, 209
Sainz RD — *See* Speck PA *et al*, 925
Salamon P — *See* Kollar A *et al*, 623
Sallantin J — *See* Gracy J *et al*, 353
Sankoff D, Analytical approaches to genomic evolution, 409
Sarde CO — *See* Aubourg P *et al*, 293
Sartania MS — *See* Loktionova NA *et al*, 821
Sartelet H — *See* Petitfrere E *et al*, 427
Saudubray JM — *See* Roels F *et al*, 281
Schaefer S — *See* Heyraud F *et al*, 605
Schell J — *See* Heyraud F *et al*, 605
Schellenbaum P — *See* Vantard M *et al*, 725
Schimmel P — *See* Wright DJ *et al*, 1041
Schmid HP, Vallon R, Tomek W, Kreutzer-Schmid C, Pouch MN, Badaoui S, Boissonnet G, Briand M, Briand Y, Buri J, Glycosylation and deglycosylation of proteasomes (prosomes) from calf-liver cells: High abundance of neuraminic acid, 905
Schneider J — *See* McClain WH *et al*, 1125
Schors EI — *See* Kurganov BI *et al*, 481
Schrakamp G — *See* van den Bosch H *et al*, 183
Schutgens RBH — *See* van den Bosch H *et al*, 183 — *See* Wanders RJA *et al*, 269
Schwob E — *See* Rogers MJ *et al*, 1083
Seliger H — *See* Ramalho Ortigao JF *et al*, 29
Shen ZM, Shi WX, Sun C, Yang JT, Conformation and activity of mannose- and N-acetylgalactosamine-specific lectins from *Vicia villosa* seeds, 949
Sherman JM — *See* Rogers MJ *et al*, 1083
Shi WX — *See* Shen ZM *et al*, 949
Shibata K, Mita T, Nakamura H, Yamashiro K, Gotoh S, Hiranuma K, Higashi K, Hirano H, An attempt to substitute the cell binding domain of human fibronectin in lambda phage J protein: Computer design and expression, 459
Shimokawa M, Nakamura K, Maruyama K, Tagawa K, Miyatake T, Sugita H, Ishiura S, Suzuki K, Inhibitory spectra of purified protease nexin-II and related proteins towards cellular proteinases, 911
Shin DY — *See* Cerritelli SM *et al*, 107
Shire D — *See* Pascolo E *et al*, 43 — *See* Lloubès R *et al*, 451
Singh H — *See* Kamboj RC *et al*, 873
Sinha ND, Davis P, Usman N, Pérez J, Hodge R, Kremsky J, Casale R, Labile exocyclic amine protection of nucleosides in DNA, RNA and oligonucleotide analog synthesis facilitating N-deacylation, minimizing depurination and chain degradation, 13
Skaletz-Rorowski A — *See* Kunau WH *et al*, 209
Söll D — *See* Wright DJ *et al*,1041 — *See* Rogers MJ *et al*, 1083
Solovyev AG — *See* Morozov SYu *et al*, 659
Soriano M — *See* Elamrani N *et al*, 849
Soula G — *See* Gueddari N *et al*, 811
Speck PA, Collingwood KM, Bardsley RG, Tucker GA, Gilmour RS, Buttery PJ, Transient changes in growth and in calpain and calpastatin expression in ovine skeletal muscle after short-term dietary inclusion of cimaterol, 917, ***, Thomson BC, Collingwood KM, Gilmour RS, Sainz RD, Bardsley RG, Buttery PJ, Oddy HV, Effect of genotype and nutrition on calpastatin inhibitory activity and mRNA abundance in milk-fed lambs, 925
Springer M — *See* Brunel C *et al*, 1167
Sprinzl M — *See* Förster C *et al*, 1159
Stapleton SR, Stevens GJ, Teel JF, Rank KB, Berg EA, Wu JY, Ginsberg LC, Kletzien RF, Effects of acetaldehyde on glucose 6-phosphate dehydrogenase activity and mRNA levels in primary rat hepatocytes in culture, 971
Steger G — *See* Matousek J *et al*, 63
Steiner R — *See* Ramalho Ortigao JF *et al*, 29
Stevens GJ — *See* Stapleton SR *et al*, 971
Stintzi A, Heitz T, Prasad V, Wiedemann-Merdinoglu S, Kauffmann S, Geoffroy P, Legrand M, Fritig B, Plant 'pathogenesis-related' proteins and their role in defense against pathogens, 687
Suarez-Rendueles P — *See* Escudero B *et al*, 855
Sugita H — *See* Shimokawa M *et al*, 911
Sun W, Ji SQ, Ebert PJ, Bidwell CA, Hancock DL, Cloning the partial cDNAs of μ-calpain and m-calpain from porcine skeletal muscle, 931
Sun C — *See* Shen ZM *et al*, 949
Suzuki K — *See* Shimokawa M *et al*, 911

Svinarchuk FP, Konevetz DA, Pliasunova OA, Pokrovsky AG, Vlassov VV, Inhibition of HIV proliferation in MT-4 cells by antisense oligonucleotide conjugated to lipophilic groups, 49
Swanson MM, Harrison BD, Serological relationships and epitope profiles of isolates of okra leaf curl geminivirus from Africa and the Middle East, 707

T

Tagawa K — *See* Shimokawa M *et al*, 911
Tager JM — *See* Wanders RJA *et al*, 269
Takayanagi M — *See* Niimi T *et al*, 1109
Talmat S — *See* Poussard S *et al*, 885
Tanaka T — *See* Maeda N *et al*, 785
Tarrago-Litvak L — *See* Andréola ML *et al*, 127
Tassy C — *See* Zabari M *et al*, 937
Teel JF — *See* Stapleton SR *et al*, 971
Tharaud D — *See* Andréola ML *et al*, 127
Thierry JC — *See* Cavarelli J *et al*, 1117
Thole V — *See* Kollar A *et al*, 623
Thomson BC — *See* Speck PA *et al*, 925
Thouvenel JC — *See* Fargette D *et al*, 547
Toldra F — *See* Flores M *et al*, 861
Tomek W — *See* Schmid HP *et al*, 905
Toulmé JJ — *See* Pascolo E *et al*, 43
Tounekti N — *See* Paoletti J *et al*, 681
Tran-Dinh S — *See* Wietzerbin J *et al*, 825
Traugh JA — *See* Morley SJ and Traugh JA, 985
Traut RR — *See* Makarov EM *et al*, 963
Trnena L — *See* Matousek J *et al*, 63
Tucker GA — *See* Speck PA *et al*, 917
Tugwood JD — *See* Issemann I *et al*, 251

U-V

Ullmann P, Ury A, Rimınele D, Benveniste P, Bouvier-Navé P, UDP-glucose ß-D-glucosyltransferase, a plasma membrane-bound enzyme of plants: Enzymatic properties and lipid dependence, 713
Un S — *See* Wietzerbin J *et al*, 825
Ury A — *See* Ullmann P *et al*, 713
Usman N — *See* Sinha ND *et al*, 13
Vallon R — *See* Schmid HP *et al*, 905
van den Bosch H, Schrakamp G, Hardeman D, Zomer AWM, Wanders RJA, Schutgens RBH, Ether lipid synthesis and its deficiency in peroxisomal disorders, 183 — *See* Wanders RJA *et al*, 269
Van Maldergem L — *See* Roels F *et al*, 281
Van Regenmortel MHV, Altschuh D, Zeder-Lutz G, Tobacco mosaic virus: A model antigen to study virus-antibody interactions, 731
Van Veldhoven PP — *See* Mannaerts GP and Van Veldhoven PP, 147
Vandevoorde V — *See* Patestos NP *et al*,1007
Vantard M, Schellenbaum P, Peter C, Lambert AM, Higher plant microtubule-associated proteins: *In vitro* functional assays, 725
Venjaminova AG — *See* Levina AS *et al*, 25
Vernet T — *See* Durr A *et al*, 539
Verver J — *See* Wellink J *et al*, 741
Vignes R — *See* Lebbe J and Vignes R, 371
Vita N — *See* Lloubès R *et al*, 451
Vlassov VV — *See* Svinarchuk FP *et al*, 49
Volkmann S, Dannull J, Moelling K, The polypurine tract, PPT, of HIV as target for antisense and triple-helix-forming oligonucleotides, 71
Völkl A — *See* Fahimi HD *et al*, 201

W

Walder RY — *See* Eder PS *et al*, 123
Walder JA — *See* Eder PS *et al*, 123
Wanders RJA — *See* van den Bosch H *et al*, 183 ***, Schutgens RBH, Barth PG, Tager JM, van den Bosch H, Postnatal diagnosis of peroxisomal disorders: A biochemical approach, 269
Watanabe K — *See* Niimi T *et al*, 1109
Wellink J, Verver J, Kammen (van) J, Mutational analysis of AUG codons of cowpea mosaic virus M RNA, 741
Westhof E — *See* Felden B *et al*, 1143
Weygand-Durasevic I — *See* Rogers MJ *et al*, 1083
Wiebel FF — *See* Kunau WH *et al*, 209
Wiedemann-Merdinoglu S — *See* Stintzi A *et al*, 687
Wietzerbin J, Hervé M, Un S, Neumann JM, Namane A, Tran-Dinh S, Influence of glucose on the deoxyglucose metabolism in *S cerevisiae*: Detection and identification of deoxyglucose and trehalose derivatives by ^{1}H- and ^{13}C-NMR spectroscopy, 825
Wirtz KWA — *See* Ossendorp BC and Wirtz KWA, 191
Witz J — *See* Mutombo K *et al*, 667
Wright DJ, Martinis SA, Jahn M, Söll D, Schimmel P, Acceptor stem and anticodon RNA hairpin helix interactions with glutamine tRNA synthetase, 1041
Wu G, Kaper JM, Kung SD, Replication of satellite RNA *in vitro* by homologous and heterologous cucumoviral RNA-dependent RNA polymerases, 749
Wu JY — *See* Stapleton SR *et al*, 971

Y-Z

Yagi T — *See* Ogata M *et al*, 977
Yamashiro K — *See* Shibata K *et al*, 459
Yaneva JN, Zlatanova JS, Does histone H1 bind specifically to the nuclear factor I recognition sequence?, 497
Yang JT — *See* Shen ZM *et al*, 949
Yokoyama S — *See* Niimi T *et al*, 1109
Zabari M, Berri M, Rouchon P, Zamora F, Tassy C, Ribadeau-Dumas B, Ouali A, Purification and characterisation of a polymorphic M_r bovine muscle cysteine proteinase inhibitor: Structural identity with fatty-acid-binding proteins, 937
Zabezhinski MA — *See* Loktionova NA *et al*, 821
Zamora F — *See* Zabari M *et al*, 937
Zaraté P — *See* Brézillon PJ *et al*, 337
Zarytova VF — *See* Levina AS *et al*, 25
Zecherle GN — *See* Makarov EM *et al*, 963
Zeder-Lutz G — *See* Van Regenmortel MHV *et al*, 731
Zelenina DA — *See* Morozov SYu *et al*, 659
Zlatanova JS — *See* Yaneva JN and Zlatanova JS, 497
Zomer AWM — *See* van den Bosch H *et al*, 183

Keyword index

A

A549 cells — Evidence for up-regulated low density lipoprotein receptor in human lung adenocarcinoma cell line A549, 811

acetaldehyde — Effects of acetaledehyde on glucose 6-phosphate dehydrogenase activity and mRNA levels in primary rat hepatocytes in culture, 971

acetohydroxy acid synthetase — A mechanism for valine-resistant growth of *Escherichia coli* K-12 supported by the valine-sensitive acetohydroxy acid synthase IV activity from *ilvJ662*, 759

Acholeplasma florum — Evidence for a phosphoenolpyruvate dependent sugar-phosphotransferase system in the mollicute *Acholeplasma florum*, 675

acridine derivative — Antisense effect of oligodeoxynucleotides complementary to the mini-exon sequence of the protozoan parasite *Leishmania amazonensis*, 43

acylpeptide hydrolase — The N-acylpeptide hydrolase from porcine intestine: Isolation, subcellular localization and comparative hydrolysis of peptide and isopeptide bonds, 891

adenylation — Non-canonical substrates of aminoacyl-tRNA synthetases. The tRNA-like structure of brome mosaic virus genomic RNA, 1143

affinity chromatography — UDP-glucose ß-D-glucosyltransferase, a plasma membrane-bound enzyme of plants: Enzymatic properties and lipid dependence, 713 — Glycosylation and deglycosylation of proteasomes (prosomes) from calf-liver cells: High abundance of neuraminic acid, 905

affinity labeling — Affinity labeling of bovine brain protein kinase C by tosyl lysyl chloromethane. A kinetic study, 443

African cassava mosaic virus — Comparative epidemiology of three tropical whitefly-transmitted geminiviruses, 547

ß-agonists — Effect of growth promoters on pig muscle structural protein and proteolytic enzyme levels *in vivo* and *in vitro*, 839 — Tissue protein turnover in animals treated with the mixed ß-agonist metaproterenol: Influence of dose, route and pattern of administration, 879 — Transient changes in growth and in calpain and calpastatin expression in ovine skeletal muscle after short-term dietary inclusion of cimaterol, 917

Agrobacterium tumefaciens — How does the T-DNA of *Agrobacterium tumefaciens* find its way into the plant cell nucleus, 635

agroinfection — How does the T-DNA of *Agrobacterium tumefaciens* find its way into the plant cell nucleus, 635

alanineglyoxyate aminotransferase — Human liver pathology in peroxisomal diseases: A review including novel data, 281 — Primary hyperoxaluria type 1 and peroxisome-to-mitochondrion mistargeting of alanine:glyoxylate aminotransferase, 309

alfalfa mosaic virus — Coat protein stimulates replication complexes of alfalfa mosaic virus to produce virion RNAs *in vitro*, 617

allosteric regulation — Effect of flavins on the rate of proteolytic digestion of muscle glycogen phosphorylase *b*, 481 — Pyruvate kinase from *Lactobacillus bulgaricus:* Possible regulation by competition between strong and weak effectors, 797

Alzheimer's disease — Inhibitory spectra of purified protease nexin-II and related proteins towards cellular proteinases, 911

amino acid — Purification and characterisation of a polymorphic M_r bovine muscle cysteine proteinase inhibitor: Structural identity with fatty-acid-binding proteins, 937

amino acid sequences — Fatty acid degradation in plant peroxisomes: Function and biosynthesis of the enzymes involved, 225

aminoacyl-tRNA — Ternary complex between elongation factor Tu.GTP and Phe-tRNA^{Phe}, 1159

aminoacyl-tRNA synthetase — Structural aspects and evolutionary implications of the recognition between tRNAs and aminoacyl-tRNA synthetases, 651 — Mammalian tryptophanyl-tRNA synthetases, 1027 — Acceptor stem and anticodon RNA hairpin helix interactions with glutamine tRNA synthetase, 1041 — Selectivity and specificity in the recognition of tRNA by *E coli* glutaminyl-tRNA synthetase, 1083 — Discrimination between transfer-RNAs by tyrosyl-tRNA synthetase, 1099 — A ^{15}N-^{1}H nuclear magnetic resonance study on the interaction between isoleucine tRNA and isoleucyl-tRNA synthetase from *Escherichia coli*, 1109 — Non-canonical substrates of aminoacyl-tRNA synthetases. The tRNA-like structure of brome mosaic virus genomic RNA, 1143

aminoacylation — The TYMV tRNA-like structure, 569 — Yeast aspartyl-tRNA synthetase: A structural view of the aminoacylation reaction, 1117

aminopeptidase — HPLC purification and characterization of porcine muscle aminopeptidase B, 861

amyloid precursor protein — Inhibitory spectra of purified protease nexin-II and related proteins towards cellular proteinases, 911

antibody affinity constant — Tobacco mosaic virus: A model antigen to study virus-antibody interactions, 731

anticodon — Structural aspects and evolutionary implications of the recognition between tRNAs and aminoacyl-tRNA synthetases, 651

antigenicity of viruses — Tobacco mosaic virus: A model antigen to study virus-antibody interactions, 731

antisense deoxyoligonucleotide — Inhibition of potato spindle tuber viriod (PSTVd) infection with DNA oligonucleotides, 63

antisense oligonucleotides — Kinetic study of the addressed modification by hemin derivatives of oligonucleotides, 5 — Solid-phase introduction and intracellular photoinduced reaction of a water-soluble meso-tetracarboxyporphine conjugated to an antisense oligodeoxyribonucleotide, 29 — Reversible covalent attachment of cholesterol to oligodeoxyribonucleotides for studies of the mechanisms of their penetration into eucaryotic cells, 35 — Inhibition of HIV proliferation in MT-4 cells by antisense oligonucleotide conjugated to lipophilic groups, 49 — Effect of cytokine-specific antisense oligonucleotides of the immunoglobulin production by rat spleen cells *in vitro*, 55 — Effect of over-expression of bacterial ribonuclease H on the utility of antisense MYC oligodeoxynucleotides in the monocytic leukemia cell line U937, 79 — Characterization of ribonuclease H activities present in two cell-free synthesizing systems, the wheat germ extract and the rabbit reticulocyte lysate, 113

application to genetic sequences — Likelihood linkage analysis (LLA) classification method: An example treated by hand, 379

artificial intelligence — Artificial intelligence approach in analysis of DNA sequences, 337 — Inductive learning and biological sequence analysis. The PLAGE program, 363 — ColiGene: Object-centered representation for the study of *E coli* gene expressivity by sequence analysis, 415

arylazide derivatives of oligonucleotides — Photomodification of RNA and DNA fragments by oligonucleotide reagents bearing arylazide groups, 25

aspartyl protease — Properties of Barrier, a novel *Saccharomyces cerevisiae* acid protease, 467

aspartyl-tRNA synthetase — Yeast aspartyl-tRNA synthetase: A structural view of the aminoacylation reaction, 1117

ATP — Yeast aspartyl-tRNA synthetase: A structural view of the aminoacylation reaction, 1117

ATP-binding site — The SKS of the KMSKS signature of class I aminoacyl-tRNA synthetases corresponds to the GKT/S sequence characteristic of the ATP-binding site of many proteins, 1137

automation — An automatic approach for DNA sequencing, 347

B

Barrier — Properties of Barrier, a novel *Saccharomyces cerevisiae* acid protease, 467

beet necrotic yellow vein virus — Mapping the promoter for subgenomic RNA synthesis on beet necrotic yellow vein virus RNA 3, 517

benzylalcohol — Further studies of the mixed acetals of nucleosides, 511

bile acids — Peroxisomal oxidation of the steroid side chain in bile acid formation, 159

binding assay — An attempt to substitute the cell binding domain of human fibronectin in lambda phage J protein: Computer design and expression, 459

biogenesis — Ultrastructural aspects of the biogenesis of peroxisomes in rat liver, 201

biological sequences — Local predictability in biological sequences, algorithm and applications, 371

brome mosaic virus — Non-canonical substrates of aminoacyl-tRNA synthetases. The tRNA-like structure of brome mosaic virus genomic RNA, 1143
butyraldehyde — Further studies of the mixed acetals of nucleosides, 511

C

Ca^{2+}-dependent proteolysis — Quantitative measurement of calpain I and II mRNAs in differentiating rat muscle cells using a competitive polymerase chain reaction method, 885
calpain I — Quantitative measurement of calpain I and II mRNAs in differentiating rat muscle cells using a competitive polymerase chain reaction method, 885
calpain II — Evidence for fibronectin degradation by calpain II, 849 — Quantitative measurement of calpain I and II mRNAs in differentiating rat muscle cells using a competitive polymerase chain reaction method, 885
calpain system — Effect of genotype and nutrition on calpastatin inhibitory activity and mRNA abundance in milk-fed lambs, 925
calpains — An FPLC method for determination of calpains and calpastatin in porcine m longissimus dorsi, 869 — Transient changes in growth and in calpain and calpastatin expression in ovine skeletal muscle after short-term dietary inclusion of cimaterol, 917 — Cloning the partial cDNAs of μ-calpain and m-calpain from porcine skeletal muscle, 931
calpastatin — An FPLC method for determination of calpains and calpastatin in porcine m longissimus dorsi, 869 — Transient changes in growth and in calpain and calpastatin expression in ovine skeletal muscle after short-term dietary inclusion of cimaterol, 917
calpastatin inhibitory activity — Effect of genotype and nutrition on calpastatin inhibitory activity and mRNA abundance in milk-fed lambs, 925
Canavalia ensiformis — Monoclonal antibodies against urease from *Canavalia ensiformis*, 1001
catalytic RNA — Phosphorothioates in pre-tRNAs can change the specificities of RNAses P or reduce the cleavage efficiencies, 955
cathepsin A — Tissue protein turnover in animals treated with the mixed ß-agonist metaproterenol: Influence of dose, route and pattern of administration, 879
cathepsin B — Multiple leader sequences for mouse cathepsin B mRNA?, 899
cathepsin L — A selective colorimetric assay for cathepsin L using Z-Phe-Arg-4-methoxy-ß-naphthylamide, 873
cauliflower mosaic virus — Characterization of different electrophoretic forms of cauliflower mosaic virus virions (strain Cabb-S), 645
cDNA cloning — Cloning the partial cDNAs of μ-calpain and m-calpain from porcine skeletal muscle, 931
cell binding domain — An attempt to substitute the cell binding domain of human fibronectin in lambda phage J protein: Computer design and expression, 459
cell wall regeneration — Why are quiescent mesophyll protoplasts from *Nicotiana sylvestris* able to re-enter into the cell cycle and re-initiate a mitotic activity?, 539
cellular uptake — Reversible covalent attachment of cholesterol to oligodeoxyribonucleotides for studies of the mechanisms of their penetration into eucaryotic cells, 35
chemical synthesis of DNA,RNA — Labile exocyclic amine protection of nucleosides in DNA, RNA and oligonucleotide analog synthesis facilitating N-deacylation, minimizing depurination and chain degradation, 13
chemotaxis — Insulin-like growth factors-I and -II stimulate chemotaxis of osteoblasts isolated from fetal rat calvaria, 991
chimeric oligonucleotides — Labile exocyclic amine protection of nucleosides in DNA, RNA and oligonucleotide analog synthesis facilitating N-deacylation, minimizing depurination and chain degradation, 13
chitinase-lysozyme — Plant 'pathogenesis-related' proteins and their role in defense against pathogens, 687
cholesterol — Biosynthesis of dolichol and cholesterol in rat liver peroxisomes, 167
cholesterol conjugate — Reversible covalent attachment of cholesterol to oligodeoxyribonucleotides for studies of the mechanisms of their penetration into eucaryotic cells, 35
chromosome inversion — Analytical approaches to genomic evolution, 409
α-chymotrypsinogen — Protein-protein interactions in reverse micelles: Trypsin shows superactivity towards a protein substrate -chymotrypsinogen A in reverse micelles of sodium bis(2-ethylhexyl)sulfosuccinate (AOT) in isooctane, 995
chymotrypsinogen A — Protein-protein interactions in reverse micelles: Trypsin shows superactivity towards a protein substrate -chymotrypsinogen A in reverse micelles of sodium bis(2-ethylhexyl)sulfosuccinate (AOT) in isooctane, 995
circular dichroism — Conformation and activity of mannose- and N-acetylgalactosamine-specific lectins from *Vicia villosa* seeds, 949
class 1 aminoacyl-tRNA synthetases — The SKS of the KMSKS signature of class I aminoacyl-tRNA synthetases corresponds to the GKT/S sequence characteristic of the ATP-binding site of many proteins, 1137
class 2 aminoacyl-tRNA synthetase — Sequence, structure and evolutionary relationship between class 2 aminoacyl-tRNA synthetases: An update, 1077
coat protein gene — Efficient pathogen-derived resistance induced by integrated potato virus Y coat protein gene in tobacco, 623
coat protein regulation — Coat protein stimulates replication complexes of alfalfa mosaic virus to produce virion RNAs *in vitro*, 617
coat protein-mediated resistance — Efficient pathogen-derived resistance induced by integrated potato virus Y coat protein gene in tobacco, 623
compactin — Evidence for up-regulated low density lipoprotein receptor in human lung adenocarcinoma cell line A549, 811
compatibility sequence-structure — Learning and alignment methods applied to protein structure prediction, 353
computer analysis of tRNA sequences — Association of $tRNA^{Gln}$ acceptor identity with phosphate-sugar backbone interactions observed in the crystal structure of *Escherichia coli* glutaminyl-tRNA synthetase-$tRNA^{Gln}$ complex, 1125
computer modelling — Non-canonical substrates of aminoacyl-tRNA synthetases. The tRNA-like structure of brome mosaic virus genomic RNA, 1143
computer science — An overview of human-computer interaction, 321
conformation — Conformation and activity of mannose- and N-acetylgalactosamine-specific lectins from *Vicia villosa* seeds, 949
COS-1 cell — Inhibitory spectra of purified protease nexin-II and related proteins towards cellular proteinases, 911
cowpea mosaic virus M RNA — Mutational analysis of AUG codons of cowpea mosaic virus M RNA, 741
cross-linking — Zero-length cross-linking of the C-terminal domain of *Escherichia coli* ribosomal protein L7/L12 to L10 in the ribosome and in the $(L7/L12)_4$-L10 pentameric complex, 963
cruciform — Conformational studies of hairpin sequences from the ColE1 cruciform, 433
crystal structure — Yeast aspartyl-tRNA synthetase: A structural view of the aminoacylation reaction, 1117
C-terminal domain — Zero-length cross-linking of the C-terminal domain of *Escherichia coli* ribosomal protein L7/L12 to L10 in the ribosome and in the $(L7/L12)_4$-L10 pentameric complex, 963
C-terminal peptide — Developments in the understanding of the particle structure of tobraviruses, 639
C-terminal signal — Fatty acid degradation in plant peroxisomes: Function and biosynthesis of the enzymes involved, 225
Cucumis sativus — Fatty acid degradation in plant peroxisomes: Function and biosynthesis of the enzymes involved, 225
cucumoviruses — Replication of satellite RNA *in vitro* by homologous and heterologous cucumoviral RNA-dependent RNA polymerases, 749
culture *in vitro* — Evidence for fibronectin degradation by calpain II, 849
cultured cells — Stimulation by insulin of protein synthesis in cultured chick embryo fibroblasts, 791
cysteine proteases — Purification and characterisation of a polymorphic M_r bovine muscle cysteine proteinase inhibitor: Structural identity with fatty-acid-binding proteins, 937
cytochemistry — Ultrastructural aspects of the biogenesis of peroxisomes in rat liver, 201

D

database — The fundamentals of object-oriented database management systems, 331
decapsidation — The thermal stability and decapsidation mechanism of tymoviruses: A differential calorimetric study, 667
denaturation — Conformation and activity of mannose- and N-acetylgalactosamine-specific lectins from *Vicia villosa* seeds, 949

2-deoxy-D-glucose — Influence of glucose on the deoxyglucose metabolism in *S cerevisiae*: Detection and identification of deoxyglucose and trehalose derivatives by ^{1}H- and ^{13}C-NMR spectroscopy, 825
deoxy-trehalose — Influence of glucose on the deoxyglucose metabolism in *S cerevisiae*: Detection and identification of deoxyglucose and trehalose derivatives by ^{1}H- and ^{13}C-NMR spectroscopy, 825
Desulfovibrio vulgaris — Characterization and redox properties of high molecular mass cytochrome c3 (Hmc) isolated from *Desulfovibrio vulgaris* Miyazaki, 977
dideoxy-trehalose — Influence of glucose on the deoxyglucose metabolism in *S cerevisiae*: Detection and identification of deoxyglucose and trehalose derivatives by ^{1}H- and ^{13}C-NMR spectroscopy, 825
$_2$ dimer — Sequence, structure and evolutionary relationship between class 2 aminoacyl-tRNA synthetases: An update, 1077
dimerization — Spontaneous dimerization of retroviral MoMuLV RNA, 681
disulfide bond — Reversible covalent attachment of cholesterol to oligodeoxyribonucleotides for studies of the mechanisms of their penetration into eucaryotic cells, 35
DNA polymerase — The ribonuclease H activity of HIV-1 reverse transcriptase: Further biochemical characterization and search of inhibitors, 127
DNA repair — Substrate specificity of human RNase H1 and its role in excision repair of ribose residues misincorporated in DNA, 123 — Individual levels of activity of O^6-alkylguanine-DNA alkyltransferase in monkey gastric mucosa during chronic exposure to a gastrocarcinogen N-ethyl-N'-nitro-N-nitrosoguanidine, 821
DNA sequence — Artificial intelligence approach in analysis of DNA sequences, 337
DNA sequencing — An automatic approach for DNA sequencing, 347
dolichol — Biosynthesis of dolichol and cholesterol in rat liver peroxisomes, 167

E

electrophoresis — Characterization of different electrophoretic forms of cauliflower mosaic virus virions (strain Cabb-S), 645
elongation factor Tu — Ternary complex between elongation factor Tu.GTP and Phe-tRNA^{Phe}, 1159
endocytosis — Reversible covalent attachment of cholesterol to oligodeoxyribonucleotides for studies of the mechanisms of their penetration into eucaryotic cells, 35
enzyme characterization — HPLC purification and characterization of porcine muscle aminopeptidase B, 861
enzyme inhibition — Monoclonal antibodies against urease from *Canavalia ensiformis*,1001
epidemiology — Comparative epidemiology of three tropical whitefly-transmitted geminiviruses, 547
epitope — Serological relationships and epitope profiles of isolates of okra leaf curl geminivirus from Africa and the Middle East, 707
Escherichia coli — Proteolysis of *Saccharomyces cerevisiae* RNase H1 in *E coli*, 107 — A mechanism for valine-resistant growth of *Escherichia coli* K-12 supported by the valine-sensitive acetohydroxy acid synthase IV activity from *ilvJ662*, 759 — Expression of the *recA* gene in recombination-deficient (*rec*$^-$) strains of *Escherichia coli*, 775 — Zero-length cross-linking of the C-terminal domain of *Escherichia coli* ribosomal protein L7/L12 to L10 in the ribosome and in the (L7/L12)$_4$-L10 pentameric complex, 963 — Relationship between the structure and function of *Escherichia coli* initiator tRNA, 1051 — Translational regulation of the *Escherichia coli* threonyl-tRNA synthetase gene: Structural and functional importance of the *thrS* operator domains, 1167
ether lipid synthesis — Ether lipid synthesis and its deficiency in peroxisomal disorders, 183 — Postnatal diagnosis of peroxisomal disorders: A biochemical approach, 269
eukaryotic genes — Identification and simulation of new non-random statistical properties common to different eukaryotic gene subpopulations, 399
eukaryotic initiation factor — Stimulation of translation in 3T3-L1 cells in response to insulin and phorbol ester is directly correlated with increased phosphate labelling of initiation factor (eIF-) 4F and ribosomal protein S6, 985
evolution — Phenylalanyl-tRNA synthetase from *Thermus thermophilus* has four antiparallel folds of which only two are catalytically functional, 1091 — Discrimination between transfer-RNAs by tyrosyl-tRNA synthetase, 1099
evolution of coding — Acceptor stem and anticodon RNA hairpin helix interactions with glutamine tRNA synthetase, 1041
exploratory data analysis — Local predictability in biological sequences, algorithm and applications, 371
expression vector — Colicin A lysis protein promotes extracellular release of active human growth hormone accumulated in *Escherichia coli* cytoplasm, 451

F-G

factor binding site — The complete nucleotide sequence of chicken ribosomal protein L7a gene and the multiple factor binding sites in its 5'-flanking region, 785
farnesyl pyrophosphate — Biosynthesis of dolichol and cholesterol in rat liver peroxisomes, 167
fatty acid binding proteins — Purification and characterisation of a polymorphic M_r bovine muscle cysteine proteinase inhibitor: Structural identity with fatty-acid-binding proteins, 937
fatty acid oxidation — Postnatal diagnosis of peroxisomal disorders: A biochemical approach, 269
fibronectin — An attempt to substitute the cell binding domain of human fibronectin in lambda phage J protein: Computer design and expression, 459 — Evidence for fibronectin degradation by calpain II, 849
fission yeast — Purification and characterization of the endogenous inhibitor for proteinase B from *Schizosaccharomyces pombe*, 855
flavins — Effect of flavins on the rate of proteolytic digestion of muscle glycogen phosphorylase *b*, 481
forward and reversed genetics — Two complementary approaches to study peroxisome biogenesis in *Saccharomyces cerevisiae*: Forward and reversed genetics, 209
FPLC — An FPLC method for determination of calpains and calpastatin in porcine m longissimus dorsi, 869
gastrocarcinogenesis — Individual levels of activity of O^6-alkylguanine-DNA alkyltransferase in monkey gastric mucosa during chronic exposure to a gastrocarcinogen N-ethyl-N'-nitro-N-nitrosoguanidine, 821
geminivirus — The conserved nonanucleotide motif of the geminivirus stem-loop sequence promotes replicational release of virus molecules from redundant copies, 605 — Serological relationships and epitope profiles of isolates of okra leaf curl geminivirus from Africa and the Middle East, 707
geminiviruses — Comparative epidemiology of three tropical whitefly-transmitted geminiviruses, 547
gene expression — Why are quiescent mesophyll protoplasts from *Nicotiana sylvestris* able to re-enter into the cell cycle and re-initiate a mitotic activity?, 539
gene expressivity — ColiGene: Object-centered representation for the study of *E coli* gene expressivity by sequence analysis, 415
gene structure — Structure and expression of the genes encoding peroxisomal ß-oxidation enzymes, 243 — The complete nucleotide sequence of chicken ribosomal protein L7a gene and the multiple factor binding sites in its 5'-flanking region, 785 — Multiple leader sequences for mouse cathepsin B mRNA?, 899
genetic code — Acceptor stem and anticodon RNA hairpin helix interactions with glutamine tRNA synthetase, 1041
genome sequencing — Informatics and genome sequencing programs, 319
genome shuffling — Analytical approaches to genomic evolution, 409
genomic organization — Histones and histone genes in higher plants: Structure and genomic organization, 523
GlnRS — Relationship between the structure and function of *Escherichia coli* initiator tRNA, 1051
1,3-ß-glucanase — Plant 'pathogenesis-related' proteins and their role in defense against pathogens, 687
glucose-6-phosphate dehydrogenase — Effects of acetaledehyde on glucose 6-phosphate dehydrogenase activity and mRNA levels in primary rat hepatocytes in culture, 971
glutamine — Selectivity and specificity in the recognition of tRNA by *E coli* glutaminyl-tRNA synthetase, 1083
glutaredoxin — Purification and properties of bovine thioredoxin system, 803
glycan residues — Glycosylation and deglycosylation of proteasomes (prosomes) from calf-liver cells: High abundance of neuraminic acid, 905

glycogen phosphorylase *b* — Effect of flavins on the rate of proteolytic digestion of muscle glycogen phosphorylase *b*, 481
glycolysis — Pyruvate kinase from *Lactobacillus bulgaricus*: Possible regulation by competition between strong and weak effectors, 797
glycolytic enzymes — The glycosomes of the Kinetoplastida, 231
glycoprotein — Conformation and activity of mannose- and N-acetylgalactosamine-specific lectins from *Vicia villosa* seeds, 949
glycosylphosphatidylinositol — Partial characterization of a glycosylphosphatidyl-inositol (GPI) in porcine thyroid cultured cells, 427
glyoxysome — Fatty acid degradation in plant peroxisomes: Function and biosynthesis of the enzymes involved, 225 — The glycosomes of the Kinetoplastida, 231
grapevine — Location of the replication determinants of the satellite RNA associated with grapevine fanleaf nepovirus (strain F13), 597
growth factors — Quantitative measurement of calpain I and II mRNAs in differentiating rat muscle cells using a competitive polymerase chain reaction method, 885
growth hormone — Effect of growth promoters on pig muscle structural protein and proteolytic enzyme levels *in vivo* and *in vitro*, 839

H

hairpin stem-loop — Conformational studies of hairpin sequences from the ColE1 cruciform, 433
hemagglutinating activity — Conformation and activity of mannose- and N-acetylgalactosamine-specific lectins from *Vicia villosa* seeds, 949
hemin derivatives — Kinetic study of the addressed modification by hemin derivatives of oligonucleotides, 5
hepatocarcinogenesis — Toxicity of peroxisome proliferators, 263
heterogeneity — Ultrastructural aspects of the biogenesis of peroxisomes in rat liver, 201 — Purification and properties of bovine thioredoxin system, 803
hierarchical classification — Likelihood linkage analysis (LLA) classification method: An example treated by hand, 379
high molecular mass cytochrome c_3 — Characterization and redox properties of high molecular mass cytochrome c_3 (Hmc) isolated from *Desulfovibrio vulgaris* Miyazaki, 977
histone genes — Histones and histone genes in higher plants: Structure and genomic organization, 523
histone H1 — Does histone H1 bind specifically to the nuclear factor I recognition sequence?, 497
HIV — Inhibition of HIV proliferation in MT-4 cells by antisense oligonucleotide conjugated to lipophilic groups, 49 — The polypurine tract, PPT, of HIV as target for antisense and triple-helix-forming oligonucleotides, 71 — Analysis of mutagenesis induced by expression of retroviral reverse transcriptase in *Escherichia coli*, 101 — The needs and hopes for an AIDS vaccine, 583
HIV-1 reverse transcriptase — The ribonuclease H activity of HIV-1 reverse transcriptase: Further biochemical characterization and search of inhibitors, 127
Hmc — Characterization and redox properties of high molecular mass cytochrome c_3 (Hmc) isolated from *Desulfovibrio vulgaris* Miyazaki, 977
homologous recombination — Requirement of homologous recombination fuctions for viability of the *Escherichia coli* cell that lacks RNase H1 and exonuclease V activities, 89 — Expression of the *recA* gene in recombination-deficient (*rec*$^-$) strains of *Escherichia coli*, 775
homoserine dehydrogenase — Evolutionary comparisons of three enzymes of the threonine biosynthetic pathway among several microbial species, 487
human growth hormone — Colicin A lysis protein promotes extracellular release of active human growth hormone accumulated in *Escherichia coli* cytoplasm, 451
human-computer interaction — An overview of human-computer interaction, 321
hybrid-arrested translation — Characterization of ribonuclease H activities present in two cell-free synthesizing systems, the wheat germ extract and the rabbit reticulocyte lysate, 113
3-hydroxy-3 methylglutaryl CoA reductase — Evidence for up-regulated low density lipoprotein receptor in human lung adenocarcinoma cell line A549, 811
hypersensitive response — Plant 'pathogenesis-related' proteins and their role in defense against pathogens, 687
hypolipidemic drugs — The retinoid X receptor enhances the function of the peroxisome proliferator activated receptor, 251

I

IGF-I — Insulin-like growth factors-I and -II stimulate chemotaxis of osteoblasts isolated from fetal rat calvaria, 991
IGF-II — Insulin-like growth factors-I and -II stimulate chemotaxis of osteoblasts isolated from fetal rat calvaria, 991
IgM — Monoclonal antibodies against urease from *Canavalia ensiformis*,1001
ilvJ662 — A mechanism for valine-resistant growth of *Escherichia coli* K-12 supported by the valine-sensitive acetohydroxy acid synthase IV activity from *ilvJ662*, 759
immune response — The needs and hopes for an AIDS vaccine, 583
immunochemistry of viruses — Tobacco mosaic virus: A model antigen to study virus-antibody interactions, 731
immunocytochemistry — Human liver pathology in peroxisomal diseases: A review including novel data, 281
immunoelectron microscopy — Ultrastructural aspects of the biogenesis of peroxisomes in rat liver, 201
immunoglobulin — Effect of cytokine-specific antisense oligonucleotides of the immunoglobulin production by rat spleen cells *in vitro*, 55
inclusion bodies — Colicin A lysis protein promotes extracellular release of active human growth hormone accumulated in *Escherichia coli* cytoplasm, 451
inductive learning — Inductive learning and biological sequence analysis. The PLAGE program, 363
informatics — Informatics and genome sequencing programs, 319
inhibition of serine protease — Inhibitory spectra of purified protease nexin-II and related proteins towards cellular proteinases, 911
inhibitors — The ribonuclease H activity of HIV-1 reverse transcriptase: Further biochemical characterization and search of inhibitors, 127 — Purification and characterisation of a polymorphic M_r bovine muscle cysteine proteinase inhibitor: Structural identity with fatty-acid-binding proteins, 937
initiator tRNA — Relationship between the structure and function of *Escherichia coli* initiator tRNA, 1051
insulin — Stimulation by insulin of protein synthesis in cultured chick embryo fibroblasts, 791
intelligent assistant system — Artificial intelligence approach in analysis of DNA sequences, 337
interactive systems — An overview of human-computer interaction, 321
intercalating agent — Antisense effect of oligodeoxynucleotides complementary to the mini-exon sequence of the protozoan parasite *Leishmania amazonensis*, 43
interleukin-2 — Effect of cytokine-specific antisense oligonucleotides of the immunoglobulin production by rat spleen cells *in vitro*, 55
interleukin-4 — Effect of cytokine-specific antisense oligonucleotides of the immunoglobulin production by rat spleen cells *in vitro*, 55
interleukin-6 — Activation of the nuclear factor κB is not sufficient for regulation of tumor necrosis factor-induced interleukin-6 gene expression,1007
intermolecular communication — Association of $tRNA^{Gln}$ acceptor identity with phosphate-sugar backbone interactions observed in the crystal structure of *Escherichia coli* glutaminyl-tRNA synthetase-$tRNA^{Gln}$ complex, 1125
intramolecular communication — Association of $tRNA^{Gln}$ acceptor identity with phosphate-sugar backbone interactions observed in the crystal structure of *Escherichia coli* glutaminyl-tRNA synthetase-$tRNA^{Gln}$ complex,1125
***in vitro* translation** — Antisense effect of oligodeoxynucleotides complementary to the mini-exon sequence of the protozoan parasite *Leishmania amazonensis*, 43 — Characterization of ribonuclease H activities present in two cell-free synthesizing systems, the wheat germ extract and the rabbit reticulocyte lysate, 113 — A novel open reading frame in tobacco virus genome coding for a putative small, positively charged protein, 659
iron metabolism — Iron: Metabolism, toxicity and therapy, 767
iron toxicity — Iron: Metabolism, toxicity and therapy, 767
iron toxicity therapeutics — Iron: Metabolism, toxicity and therapy, 767
isoforms — Purification and properties of bovine thioredoxin system, 803
isopeptide bond hydrolysis — The N-acylpeptide hydrolase from porcine intestine: Isolation, subcellular localization and comparative hydrolysis of peptide and isopeptide bonds, 891

isotope labeling — A ^{15}N-^{1}H nuclear magnetic resonance study on the interaction between isoleucine tRNA and isoleucyl-tRNA synthetase from *Escherichia coli*, 1109

K-L

k nearest neighbours method — Local predictability in biological sequences, algorithm and applications, 371
kinetics of antibody binding — Tobacco mosaic virus: A model antigen to study virus-antibody interactions, 731
Kinetoplastida — The glycosomes of the Kinetoplastida, 231
KMSKS signature — The SKS of the KMSKS signature of class I aminoacyl-tRNA synthetases corresponds to the GKT/S sequence characteristic of the ATP-binding site of many proteins, 1137
knowledge acquisition — Artificial intelligence approach in analysis of DNA sequences, 337
knowledge bases — ColiGene: Object-centered representation for the study of *E coli* gene expressivity by sequence analysis, 415
knowledge configuration — Artificial intelligence approach in analysis of DNA sequences, 337
lactic acid bacteria — Pyruvate kinase from *Lactobacillus bulgaricus*: Possible regulation by competition between strong and weak effectors, 797
***lacZ* fusion** — Expression of the *recA* gene in recombination-deficient (*rec*$^-$) strains of *Escherichia coli*, 775
LDL binding sites — Evidence for up-regulated low density lipoprotein receptor in human lung adenocarcinoma cell line A549, 811
LDL receptor gene expression — Evidence for up-regulated low density lipoprotein receptor in human lung adenocarcinoma cell line A549, 811
LDL receptor modulation — Evidence for up-regulated low density lipoprotein receptor in human lung adenocarcinoma cell line A549, 811
leader sequence — Multiple leader sequences for mouse cathepsin B mRNA?, 899
leaf peroxisme — Fatty acid degradation in plant peroxisomes: Function and biosynthesis of the enzymes involved, 225
lectins — Glycosylation and deglycosylation of proteasomes (prosomes) from calf-liver cells: High abundance of neuraminic acid, 905 — Conformation and activity of mannose- and N-acetylgalactosamine-specific lectins from *Vicia villosa* seeds, 949
lentiviruses — The needs and hopes for an AIDS vaccine, 583
lipoproteins — Evidence for up-regulated low density lipoprotein receptor in human lung adenocarcinoma cell line A549, 811
liver growth — Toxicity of peroxisome proliferators, 263
local predictability — Local predictability in biological sequences, algorithm and applications, 371
luciferase — Transient plant gene expression: A simple and reproducible method based on flowing particle gun, 591
lung adenocarcinoma cell line — Evidence for up-regulated low density lipoprotein receptor in human lung adenocarcinoma cell line A549, 811
lysis protein — Colicin A lysis protein promotes extracellular release of active human growth hormone accumulated in *Escherichia coli* cytoplasm, 451
lysosymes — A selective colorimetric assay for cathepsin L using Z-Phe-Arg-4-methoxy-ß-naphthylamide, 873

M

machine learning — Learning and alignment methods applied to protein structure prediction, 353
management systems — The fundamentals of object-oriented database management systems, 331
membrane permeabilization — Plant 'pathogenesis-related' proteins and their role in defense against pathogens, 687
membrane proteins — Ultrastructural aspects of the biogenesis of peroxisomes in rat liver, 201
metabolism — Evidence for a phosphoenolpyruvate dependent sugar-phosphotransferase system in the mollicute *Acholeplasma florum*, 675
metaproterenol — Tissue protein turnover in animals treated with the mixed ß-agonist metaproterenol: Influence of dose, route and pattern of administration, 879
methionine aminopeptidase — Methionine as translation start signal: A review of the enzymes of the pathway in *Escherichia coli*, 1061
methionyl-tRNA synthtase — Methionine as translation start signal: A review of the enzymes of the pathway in *Escherichia coli*, 1061
methionyl-tRNA transformylase — Relationship between the structure and function of *Escherichia coli* initiator tRNA, 1051
methionyl-tRNA$^{Met}_f$ formyltransferase — Methionine as translation start signal: A review of the enzymes of the pathway in *Escherichia coli*, 1061
microcalorimetry — The thermal stability and decapsidation mechanism of tymoviruses: A differential calorimetric study, 667
microtubules — Higher plant microtubule-associated proteins: In vitro functional assays, 725
mitochondria — Peroxisomal ß-oxidation of polyunsaturated fatty acids, 175
mitochondrial targeting/import — Primary hyperoxaluria type 1 and peroxisome-to-mitochondrion mistargeting of alanine:glyoxylate aminotransferase, 309
modification interference — Antisense oligoribonucleotides and RNase P. A great potential, 135
modified RNA — Phosphorothioates in pre-tRNAs can change the specificities of RNAses P or reduce the cleavage efficiencies, 955
molecular biology — Inductive learning and biological sequence analysis. The PLAGE program, 363
molecular evolution — Analytical approaches to genomic evolution, 409
molecular genetics — Update on genetic and molecular investigations of diseases with general impairment of peroxisomal functions, 303
mollicute — Evidence for a phosphoenolpyruvate dependent sugar-phosphotransferase system in the mollicute *Acholeplasma florum*, 675
monoclonal antibodies — Serological relationships and epitope profiles of isolates of okra leaf curl geminivirus from Africa and the Middle East, 707 — Monoclonal antibodies against urease from *Canavalia ensiformis*, 1001
monoclonal antibodies to viruses — Tobacco mosaic virus: A model antigen to study virus-antibody interactions, 731
mosaic disease — Mosaic disease induced by turnip yellow mosaic *Tymovirus*, 555
mRNA — Transient changes in growth and in calpain and calpastatin expression in ovine skeletal muscle after short-term dietary inclusion of cimaterol, 917
mRNA abundance — Effect of genotype and nutrition on calpastatin inhibitory activity and mRNA abundance in milk-fed lambs, 925
mRNA conformation — Translational regulation of the *Escherichia coli* threonyl-tRNA synthetase gene: Structural and functional importance of the *thrS* operator domains, 1167
multifunctional protein — Peroxisomal ß-oxidation of polyunsaturated fatty acids, 175
multiheme cytochrome — Characterization and redox properties of high molecular mass cytochrome c_3 (Hmc) isolated from *Desulfovibrio vulgaris* Miyazaki, 977
MuLV — Analysis of mutagenesis induced by expression of retroviral reverse transcriptase in *Escherichia coli*, 101
muscle proteolysis — Effect of genotype and nutrition on calpastatin inhibitory activity and mRNA abundance in milk-fed lambs, 925
mutagenesis — Further studies of the mixed acetals of nucleosides, 511
mutants — Association of tRNA^{Gln} acceptor identity with phosphate-sugar backbone interactions observed in the crystal structure of *Escherichia coli* glutaminyl-tRNA synthetase-tRNA^{Gln} complex,1125
MYC — Effect of over-expression of bacterial ribonuclease H on the utility of antisense MYC oligodeoxynucleotides in the monocytic leukemia cell line U937, 79
myoblast — Evidence for fibronectin degradation by calpain II, 849
myoblast fusion — Quantitative measurement of calpain I and II mRNAs in differentiating rat muscle cells using a competitive polymerase chain reaction method, 885

N

N-ethylmaleimide — The ribonuclease H activity of HIV-1 reverse transcriptase: Further biochemical characterization and search of inhibitors, 127
N-glycosidase F — Glycosylation and deglycosylation of proteasomes (prosomes) from calf-liver cells: High abundance of neuraminic acid, 905
nepovirus — Properties of the satellite RNA of nepoviruses, 561 — Location of the replication determinants of the satellite RNA associated with grapevine fanleaf nepovirus (strain F13), 597
neutralizing antibodies — The needs and hopes for an AIDS vaccine, 583
NFI recognition sequence — Does histone H1 bind specifically to the nuclear factor I recognition sequence?, 497

Nippostrongylus brasiliensis — Effect of cytokine-specific antisense oligonucleotides of the immunoglobulin production by rat spleen cells *in vitro*, 55
non-genotoxic carcinogens — The retinoid X receptor enhances the function of the peroxisome proliferator activated receptor, 251
non-random statistical properties — Identification and simulation of new non-random statistical properties common to different eukaryotic gene subpopulations, 399
non-specific lipid-transfer protein — The non-specific lipid-transfer protein (sterol carrier protein 2) and its relationship to peroxisomes, 191
nuclear factor I — Does histone H1 bind specifically to the nuclear factor I recognition sequence?, 497
nuclear factor kappaB — Activation of the nuclear factor κB is not sufficient for regulation of tumor necrosis factor-induced interleukin-6 gene expression,1007
^{13}C NMR — Influence of glucose on the deoxyglucose metabolism in *S cerevisiae*: Detection and identification of deoxyglucose and trehalose derivatives by ^{1}H- and ^{13}C-NMR spectroscopy, 825
^{1}H-NMR — Influence of glucose on the deoxyglucose metabolism in *S cerevisiae*: Detection and identification of deoxyglucose and trehalose derivatives by ^{1}H- and ^{13}C-NMR spectroscopy, 825 — Ternary complex between elongation factor Tu.GTP and Phe-tRNA^{Phe}, 1159
nuclear magnetic resonance — Conformational studies of hairpin sequences from the ColE1 cruciform, 433 — Developments in the understanding of the particle structure of tobraviruses, 639 — A ^{15}N-^{1}H nuclear magnetic resonance study on the interaction between isoleucine tRNA and isoleucyl-tRNA synthetase from *Escherichia coli*, 1109
nuclear targeting — How does the T-DNA of *Agrobacterium tumefaciens* find its way into the plant cell nucleus, 635
nucleotide distribution — Identification and simulation of new non-random statistical properties common to different eukaryotic gene subpopulations, 399

O-P

object-oriented technologies — The fundamentals of object-oriented database management systems, 331
objects — ColiGene: Object-centered representation for the study of *E coli* gene expressivity by sequence analysis, 415
okra leaf curl virus — Comparative epidemiology of three tropical whitefly-transmitted geminiviruses, 547 — Serological relationships and epitope profiles of isolates of okra leaf curl geminivirus from Africa and the Middle East, 707
oligonucleotide derivatives — Inhibition of HIV proliferation in MT-4 cells by antisense oligonucleotide conjugated to lipophilic groups, 49
oligonucleotide methylphosphonate diesters — Labile exocyclic amine protection of nucleosides in DNA, RNA and oligonucleotide analog synthesis facilitating N-deacylation, minimizing depurination and chain degradation, 13
oligonucleotides — The polypurine tract, PPT, of HIV as target for antisense and triple-helix-forming oligonucleotides, 71
osteoblasts — Insulin-like growth factors-I and -II stimulate chemotaxis of osteoblasts isolated from fetal rat calvaria, 991
ß-oxidation — Metabolic pathways in mammalian peroxisomes, 147 — Peroxisomal ß-oxidation of polyunsaturated fatty acids, 175 — Structure and expression of the genes encoding peroxisomal ß-oxidation enzymes, 243 — Human liver pathology in peroxisomal diseases: A review including novel data, 281
oxidation — Peroxisomal oxidation of the steroid side chain in bile acid formation, 159
oxidative DNA modification — Kinetic study of the addressed modification by hemin derivatives of oligonucleotides, 5
3-oxoacyl-CoA thiolase — The non-specific lipid-transfer protein (sterol carrier protein 2) and its relationship to peroxisomes, 191
particle gun — Transient plant gene expression: A simple and reproducible method based on flowing particle gun, 591
PAS genes — Two complementary approaches to study peroxisome biogenesis in *Saccharomyces cerevisiae*: Forward and reversed genetics, 209
peptide deformylase — Methionine as translation start signal: A review of the enzymes of the pathway in *Escherichia coli*, 1061
peptidyl-tRNA hydrolase — Methionine as translation start signal: A review of the enzymes of the pathway in *Escherichia coli*, 1061
peroxisomal disorders — Ether lipid synthesis and its deficiency in peroxisomal disorders, 183 — Postnatal diagnosis of peroxisomal disorders: A biochemical approach, 269 — Update on genetic and molecular investigations of diseases with general impairment of peroxisomal functions, 303
peroxisomal metabolism — Metabolic pathways in mammalian peroxisomes, 147
peroxisomal mutants — Two complementary approaches to study peroxisome biogenesis in *Saccharomyces cerevisiae*: Forward and reversed genetics, 209
peroxisomal polypeptide pattern — Two complementary approaches to study peroxisome biogenesis in *Saccharomyces cerevisiae*: Forward and reversed genetics, 209
peroxisomal targeting/import — Primary hyperoxaluria type 1 and peroxisome-to-mitochondrion mistargeting of alanine:glyoxylate aminotransferase, 309
peroxisome biogenesis — Two complementary approaches to study peroxisome biogenesis in *Saccharomyces cerevisiae*: Forward and reversed genetics, 209
peroxisome induction — Ether lipid synthesis and its deficiency in peroxisomal disorders, 183
peroxisome proliferation — Structure and expression of the genes encoding peroxisomal ß-oxidation enzymes, 243 — The retinoid X receptor enhances the function of the peroxisome proliferator activated receptor, 251 — Thyromimetic effect of peroxisome proliferators, 257 — Toxicity of peroxisome proliferators, 263
peroxisomes — Metabolic pathways in mammalian peroxisomes, 147 — Peroxisomal oxidation of the steroid side chain in bile acid formation, 159 — Biosynthesis of dolichol and cholesterol in rat liver peroxisomes, 167 — Peroxisomal ß-oxidation of polyunsaturated fatty acids, 175 — Ether lipid synthesis and its deficiency in peroxisomal disorders, 183 — The non-specific lipid-transfer protein (sterol carrier protein 2) and its relationship to peroxisomes, 191 — Ultrastructural aspects of the biogenesis of peroxisomes in rat liver, 201 — Two complementary approaches to study peroxisome biogenesis in *Saccharomyces cerevisiae*: Forward and reversed genetics, 209 — The glycosomes of the Kinetoplastida, 231 — Biochemical properties of liver peroxisomes from rat, guinea pig and human species and the influence of hormonal status on rat liver acyl-CoA oxidase mRNA content, 235 — Structure and expression of the genes encoding peroxisomal ß-oxidation enzymes, 243 — Postnatal diagnosis of peroxisomal disorders: A biochemical approach, 269 — Adrenoleukodystrophy gene: Unexpected homology to a protein involved in peroxisome biogenesis, 293
phenylalanyl-tRNA synthetase — Phenylalanyl-tRNA synthetase from *Thermus thermophilus* has four antiparallel folds of which only two are catalytically functional, 1091
phorbol 12-myristate 13-acetate — Stimulation of translation in 3T3-L1 cells in response to insulin and phorbol ester is directly correlated with increased phosphate labelling of initiation factor (eIF-) 4F and ribosomal protein S6, 985
phospholipid dependence — UDP-glucose ß-D-glucosyltransferase, a plasma membrane-bound enzyme of plants: Enzymatic properties and lipid dependence, 713
phosphorylation — Mechanism of viroid pathogenesis: Differential activation of the interferon-induced, double-stranded RNA-activated, M_r 68000 protein kinase by viriod strains of varying pathogenicity, 533 — Location of the replication determinants of the satellite RNA associated with grapevine fanleaf nepovirus (strain F13), 597 — Stimulation of translation in 3T3-L1 cells in response to insulin and phorbol ester is directly correlated with increased phosphate labelling of initiation factor (eIF-) 4F and ribosomal protein S6, 985
phosphotransferase system — Evidence for a phosphoenolpyruvate dependent sugar-phosphotransferase system in the mollicute *Acholeplasma florum*, 675
photomodification of RNA- and DNA-fragments — Photomodification of RNA and DNA fragments by oligonucleotide reagents bearing arylazide groups, 25
phylogenetic invariants — Analytical approaches to genomic evolution, 409
physical chemistry — Spontaneous dimerization of retroviral MoMuLV RNA, 681
pig muscle — Effect of growth promoters on pig muscle structural protein and proteolytic enzyme levels *in vivo* and *in vitro*, 839

pipecolic acid — Human liver pathology in peroxisomal diseases: A review including novel data, 281
plant cytoskeleton — Higher plant microtubule-associated proteins: *In vitro* functional assays, 725
plant disease — Mechanism of viroid pathogenesis: Differential activation of the interferon-induced, double-stranded RNA-activated, M_r 68000 protein kinase by viriod strains of varying pathogenicity, 533
plant microtubule-associated proteins — Higher plant microtubule-associated proteins: In vitro functional assays, 725
plant plasma membrane — UDP-glucose ß-D-glucosyltransferase, a plasma membrane-bound enzyme of plants: Enzymatic properties and lipid dependence, 713
plant virus — Mapping the promoter for subgenomic RNA synthesis on beet necrotic yellow vein virus RNA 3, 517 — A novel open reading frame in tobacco virus genome coding for a putative small, positively charged protein, 659
plasmalogens — Ether lipid synthesis and its deficiency in peroxisomal disorders, 183
plasmids — Expression of the *recA* gene in recombination-deficient (*rec*$^-$) strains of *Escherichia coli*, 775
platelet-activating factor — Ether lipid synthesis and its deficiency in peroxisomal disorders, 183
polymerase chain reaction — Quantitative measurement of calpain I and II mRNAs in differentiating rat muscle cells using a competitive polymerase chain reaction method, 885
polypurine tract — The polypurine tract, PPT, of HIV as target for antisense and triple-helix-forming oligonucleotides, 71
polysomes — Stimulation by insulin of protein synthesis in cultured chick embryo fibroblasts, 791
porcine — Cloning the partial cDNAs of µ-calpain and m-calpain from porcine skeletal muscle, 931
porcine intestine — The N-acylpeptide hydrolase from porcine intestine: Isolation, subcellular localization and comparative hydrolysis of peptide and isopeptide bonds, 891
pork meat — An FPLC method for determination of calpains and calpastatin in porcine m longissimus dorsi, 869
porphines — Solid-phase introduction and intracellular photoinduced reaction of a water-soluble meso-tetracarboxyporphine conjugated to an antisense oligodeoxyribonucleotide, 29
porphyrins — Solid-phase introduction and intracellular photoinduced reaction of a water-soluble meso-tetracarboxyporphine conjugated to an antisense oligodeoxyribonucleotide, 29
post-mortem — An FPLC method for determination of calpains and calpastatin in porcine m longissimus dorsi, 869
post-translational changes — The *rne* gene and ribonuclease E, 473
potato spindle tuber viriod — Inhibition of potato spindle tuber viriod (PSTVd) infection with DNA oligonucleotides, 63
potato virus Y — Efficient pathogen-derived resistance induced by integrated potato virus Y coat protein gene in tobacco, 623
primary hyperoxaluria type I — Primary hyperoxaluria type 1 and peroxisome-to-mitochondrion mistargeting of alanine:glyoxylate aminotransferase, 309
primary rat hepatocytes — Effects of acetaledehyde on glucose 6-phosphate dehydrogenase activity and mRNA levels in primary rat hepatocytes in culture, 971
probabilistic association coefficients — Likelihood linkage analysis (LLA) classification method: An example treated by hand, 379
propioaldehyde — Further studies of the mixed acetals of nucleosides, 511
prosomes — Glycosylation and deglycosylation of proteasomes (prosomes) from calf-liver cells: High abundance of neuraminic acid, 905
protease — Effect of growth promoters on pig muscle structural protein and proteolytic enzyme levels *in vivo* and *in vitro*, 839 — HPLC purification and characterization of porcine muscle aminopeptidase B, 861
protease inhibitor — Affinity labeling of bovine brain protein kinase C by tosyl lysyl chloromethane. A kinetic study, 443
protease nexin-II — Inhibitory spectra of purified protease nexin-II and related proteins towards cellular proteinases, 911
proteasomes — Glycosylation and deglycosylation of proteasomes (prosomes) from calf-liver cells: High abundance of neuraminic acid, 905
protein biosynthesis — Ternary complex between elongation factor Tu.GTP and Phe-tRNA^{Phe}, 1159
protein DNA — Does histone H1 bind specifically to the nuclear factor I recognition sequence?, 497
protein kinase C — Affinity labeling of bovine brain protein kinase C by tosyl lysyl chloromethane. A kinetic study, 443
protein metabolism — Tissue protein turnover in animals treated with the mixed ß-agonist metaproterenol: Influence of dose, route and pattern of administration, 879
protein substitution — An attempt to substitute the cell binding domain of human fibronectin in lambda phage J protein: Computer design and expression, 459
protein synthesis — Stimulation by insulin of protein synthesis in cultured chick embryo fibroblasts, 791
proteinase inhibitor — Plant 'pathogenesis-related' proteins and their role in defense against pathogens, 687 — Purification and characterization of the endogenous inhibitor for proteinase B from *Schizosaccharomyces pombe*, 855
proteolysis — Proteolysis of *Saccharomyces cerevisiae* RNase H1 in *E coli*, 107
protoplast transfection — The conserved nonanucleotide motif of the geminivirus stem-loop sequence promotes replicational release of virus molecules from redundant copies, 605
purification — HPLC purification and characterization of porcine muscle aminopeptidase B, 861
pyruvate kinase — Pyruvate kinase from *Lactobacillus bulgaricus*: Possible regulation by competition between strong and weak effectors, 797

R

rabbit reticulocyte lysate — Characterization of ribonuclease H activities present in two cell-free synthesizing systems, the wheat germ extract and the rabbit reticulocyte lysate, 113
recA — Expression of the *recA* gene in recombination-deficient (*rec*$^-$) strains of *Escherichia coli*, 775
RecBCD — Requirement of homologous recombination fuctions for viability of the *Escherichia coli* cell that lacks RNase H1 and exonuclease V activities, 89
recombinant DNA — A novel open reading frame in tobacco virus genome coding for a putative small, positively charged protein, 659
recombination — The conserved nonanucleotide motif of the geminivirus stem-loop sequence promotes replicational release of virus molecules from redundant copies, 605
recombination-deficient strains — Expression of the *recA* gene in recombination-deficient (*rec*$^-$) strains of *Escherichia coli*, 775
redox potential — Characterization and redox properties of high molecular mass cytochrome c_3 (Hmc) isolated from *Desulfovibrio vulgaris* Miyazaki, 977
regional distribution — A selective colorimetric assay for cathepsin L using Z-Phe-Arg-4-methoxy-ß-naphthylamide, 873
relational attributes — Likelihood linkage analysis (LLA) classification method: An example treated by hand, 379
replicase — Non-canonical substrates of aminoacyl-tRNA synthetases. The tRNA-like structure of brome mosaic virus genomic RNA, 1143
replication — Analysis of mutagenesis induced by expression of retroviral reverse transcriptase in *Escherichia coli*, 101 — The TYMV tRNA-like structure, 569 — Location of the replication determinants of the satellite RNA associated with grapevine fanleaf nepovirus (strain F13), 597 — Replication of satellite RNA *in vitro* by homologous and heterologous cucumoviral RNA-dependent RNA polymerases, 749
resistance to virus — Mosaic disease induced by turnip yellow mosaic *Tymovirus*, 555
retinoblast — An attempt to substitute the cell binding domain of human fibronectin in lambda phage J protein: Computer design and expression, 459
retinoic acid — The retinoid X receptor enhances the function of the peroxisome proliferator activated receptor, 251
retroviral RNA — Spontaneous dimerization of retroviral MoMuLV RNA, 681
reverse micelles — Protein-protein interactions in reverse micelles: Trypsin shows superactivity towards a protein substrate -chymotrypsinogen A in

reverse micelles of sodium bis(2-ethylhexyl)sulfosuccinate (AOT) in isooctane, 995
rhizomania — Mapping the promoter for subgenomic RNA synthesis on beet necrotic yellow vein virus RNA 3, 517
ribonuclease — Substrate specificity of human RNase H1 and its role in excision repair of ribose residues misincorporated in DNA, 123
ribosomal protein L7/L12/L10 — Zero-length cross-linking of the C-terminal domain of *Escherichia coli* ribosomal protein L7/L12 to L10 in the ribosome and in the $(L7/L12)_4$-L10 pentameric complex, 963
ribosomal protein L7a — The complete nucleotide sequence of chicken ribosomal protein L7a gene and the multiple factor binding sites in its 5'-flanking region, 785
ribozyme — Antisense oligoribonucleotides and RNase P. A great potential, 135 — Phosphorothioates in pre-tRNAs can change the specificities of RNAses P or reduce the cleavage efficiencies, 955
R-loop — Requirement of homologous recombination fuctions for viability of the *Escherichia coli* cell that lacks RNase H1 and exonuclease V activities, 89
RNA — Mechanism of viroid pathogenesis: Differential activation of the interferon-induced, double-stranded RNA-activated, M_r 68000 protein kinase by viriod strains of varying pathogenicity, 533 — Properties of the satellite RNA of nepoviruses, 561
RNA binding — Mechanism of viroid pathogenesis: Differential activation of the interferon-induced, double-stranded RNA-activated, M_r 68000 protein kinase by viriod strains of varying pathogenicity, 533
RNA polymerase — Requirement of homologous recombination fuctions for viability of the *Escherichia coli* cell that lacks RNase H1 and exonuclease V activities, 89
RNA processing — Phosphorothioates in pre-tRNAs can change the specificities of RNAses P or reduce the cleavage efficiencies, 955
RNA recognition — Acceptor stem and anticodon RNA hairpin helix interactions with glutamine tRNA synthetase, 1041
RNA replication complexes — Coat protein stimulates replication complexes of alfalfa mosaic virus to produce virion RNAs *in vitro*, 617
RNA-dependent RNA polymerase — Replication of satellite RNA *in vitro* by homologous and heterologous cucumoviral RNA-dependent RNA polymerases, 749
RNase E — The *rne* gene and ribonuclease E, 473
RNase H — Effect of over-expression of bacterial ribonuclease H on the utility of antisense MYC oligodeoxynucleotides in the monocytic leukemia cell line U937, 79 — Requirement of homologous recombination fuctions for viability of the *Escherichia coli* cell that lacks RNase H1 and exonuclease V activities, 89 — Proteolysis of *Saccharomyces cerevisiae* RNase H1 in *E coli*, 107 — Characterization of ribonuclease H activities present in two cell-free synthesizing systems, the wheat germ extract and the rabbit reticulocyte lysate, 113 — Substrate specificity of human RNase H1 and its role in excision repair of ribose residues misincorporated in DNA, 123 — The ribonuclease H activity of HIV-1 reverse transcriptase: Further biochemical characterization and search of inhibitors, 127
rolling-circle replication — The conserved nonanucleotide motif of the geminivirus stem-loop sequence promotes replicational release of virus molecules from redundant copies, 605

S

35S — Transient plant gene expression: A simple and reproducible method based on flowing particle gun, 591
Saccharomyces cerevisiae — Proteolysis of *Saccharomyces cerevisiae* RNase H1 in *E coli*, 107 — Influence of glucose on the deoxyglucose metabolism in *S cerevisiae*: Detection and identification of deoxyglucose and trehalose derivatives by ^{1}H- and ^{13}C-NMR spectroscopy, 825
satellite RNA — Replication of satellite RNA *in vitro* by homologous and heterologous cucumoviral RNA-dependent RNA polymerases, 749
secondary structure prediction — Learning and alignment methods applied to protein structure prediction, 353
selective assay — A selective colorimetric assay for cathepsin L using Z-Phe-Arg-4-methoxy-ß-naphthylamide, 873
sequence alignment — Learning and alignment methods applied to protein structure prediction, 353
sequence identity — Cloning the partial cDNAs of μ-calpain and m-calpain from porcine skeletal muscle, 931
simian immunodeficiency virus — The needs and hopes for an AIDS vaccine, 583
site reagents — UDP-glucose ß-D-glucosyltransferase, a plasma membrane-bound enzyme of plants: Enzymatic properties and lipid dependence, 713
site-directed mutagenesis — Mutational analysis of AUG codons of cowpea mosaic virus M RNA, 741
skeletal muscle — Effect of flavins on the rate of proteolytic digestion of muscle glycogen phosphorylase *b*, 481 — Transient changes in growth and in calpain and calpastatin expression in ovine skeletal muscle after short-term dietary inclusion of cimaterol, 917
sodium bis(2-ethylhexyl)sulfosuccinate — Protein-protein interactions in reverse micelles: Trypsin shows superactivity towards a protein substrate -chymotrypsinogen A in reverse micelles of sodium bis(2-ethylhexyl)sulfosuccinate (AOT) in isooctane, 995
solid-phase modification — Solid-phase introduction and intracellular photoinduced reaction of a water-soluble meso-tetracarboxyporphine conjugated to an antisense oligodeoxyribonucleotide, 29
Spiroplasma — Evidence for a phosphoenolpyruvate dependent sugar-phosphotransferase system in the mollicute *Acholeplasma florum*, 675
start codon — Mutational analysis of AUG codons of cowpea mosaic virus M RNA, 741
sterol carrier protein 2 — The non-specific lipid-transfer protein (sterol carrier protein 2) and its relationship to peroxisomes, 191
stress — Why are quiescent mesophyll protoplasts from *Nicotiana sylvestris* able to re-enter into the cell cycle and re-initiate a mitotic activity?, 539
subgenomic RNA — Mapping the promoter for subgenomic RNA synthesis on beet necrotic yellow vein virus RNA 3, 517
subunit organization — Phenylalanyl-tRNA synthetase from *Thermus thermophilus* has four antiparallel folds of which only two are catalytically functional, 1091
suppressors — Selectivity and specificity in the recognition of tRNA by *E coli* glutaminyl-tRNA synthetase, 1083
synthetic ribozyme — Labile exocyclic amine protection of nucleosides in DNA, RNA and oligonucleotide analog synthesis facilitating N-deacylation, minimizing depurination and chain degradation, 13

T

T-DNA transfer — How does the T-DNA of *Agrobacterium tumefaciens* find its way into the plant cell nucleus, 635
temperature sensitivity — The *rne* gene and ribonuclease E, 473
thermodynamic stability — Conformational studies of hairpin sequences from the ColE1 cruciform, 433
thiol-disulfide oxidoreduction — Purification and properties of bovine thioredoxin system, 803
thiolase — Fatty acid degradation in plant peroxisomes: Function and biosynthesis of the enzymes involved, 225
thioredoxin — Purification and properties of bovine thioredoxin system, 803
three-dimensional structure — Phenylalanyl-tRNA synthetase from *Thermus thermophilus* has four antiparallel folds of which only two are catalytically functional, 1091 — Non-canonical substrates of aminoacyl-tRNA synthetases. The tRNA-like structure of brome mosaic virus genomic RNA, 1143
threonine biosynthesis — Evolutionary comparisons of three enzymes of the threonine biosynthetic pathway among several microbial species, 487
threonine synthase — Evolutionary comparisons of three enzymes of the threonine biosynthetic pathway among several microbial species, 487
threonyl-tRNA synthetase — Translational regulation of the *Escherichia coli* threonyl-tRNA synthetase gene: Structural and functional importance of the *thrS* operator domains, 1167
thyroid cells — Partial characterization of a glycosylphosphatidyl-inositol (GPI) in porcine thyroid cultured cells, 427
thyroid hormones — Thyromimetic effect of peroxisome proliferators, 257
tobacco leaf curl virus — Comparative epidemiology of three tropical whitefly-transmitted geminiviruses, 547
tobacco mosaic virus — A novel open reading frame in tobacco virus genome coding for a putative small, positively charged protein, 659 — Tobacco mosaic virus: A model antigen to study virus-antibody interactions, 731
tobravirus — Developments in the understanding of the particle structure of tobraviruses, 639

transcription — Activation of the nuclear factor κB is not sufficient for regulation of tumor necrosis factor-induced interleukin-6 gene expression,1007
transcriptional induction — Structure and expression of the genes encoding peroxisomal ß-oxidation enzymes, 243
transgenic plants — Efficient pathogen-derived resistance induced by integrated potato virus Y coat protein gene in tobacco, 623
transient beta-glucuronidase expression — How does the T-DNA of *Agrobacterium tumefaciens* find its way into the plant cell nucleus, 635
transient expression — Transient plant gene expression: A simple and reproducible method based on flowing particle gun, 591
translation — Stimulation by insulin of protein synthesis in cultured chick embryo fibroblasts, 791
translational regulation — Translational regulation of the *Escherichia coli* threonyl-tRNA synthetase gene: Structural and functional importance of the *thrS* operator domains, 1167
transporters — Adrenoleukodystrophy gene: Unexpected homology to a protein involved in peroxisome biogenesis, 293
trihydroxycoprostanoyl-CoA oxidase — Peroxisomal oxidation of the steroid side chain in bile acid formation, 159
Triticum monococcum — The conserved nonanucleotide motif of the geminivirus stem-loop sequence promotes replicational release of virus molecules from redundant copies, 605
tRNA — Antisense oligoribonucleotides and RNase P. A great potential, 135 — Selectivity and specificity in the recognition of tRNA by *E coli* glutaminyl-tRNA synthetase, 1083 — A ^{15}N-^{1}H nuclear magnetic resonance study on the interaction between isoleucine tRNA and isoleucyl-tRNA synthetase from *Escherichia coli*, 1109 — Yeast aspartyl-tRNA synthetase: A structural view of the aminoacylation reaction, 1117
tRNA discrimination — Discrimination between transfer-RNAs by tyrosyl-tRNA synthetase, 1099
tRNA identity — Acceptor stem and anticodon RNA hairpin helix interactions with glutamine tRNA synthetase, 1041 — Discrimination between transfer-RNAs by tyrosyl-tRNA synthetase, 1099
tRNA-like structure — The TYMV tRNA-like structure, 569 — Non-canonical substrates of aminoacyl-tRNA synthetases. The tRNA-like structure of brome mosaic virus genomic RNA, 1143
trypsin — Protein-protein interactions in reverse micelles: Trypsin shows superactivity towards a protein substrate -chymotrypsinogen A in reverse micelles of sodium bis(2-ethylhexyl)sulfosuccinate (AOT) in isooctane, 995
trypsin hydrolysis — Effect of flavins on the rate of proteolytic digestion of muscle glycogen phosphorylase *b*, 481
tryptophanyl-tRNA synthetase — Mammalian tryptophanyl-tRNA synthetases, 1027
tubulin — Higher plant microtubule-associated proteins: *In vitro* functional assays, 725
tumor necrosis factor — Activation of the nuclear factor κB is not sufficient for regulation of tumor necrosis factor-induced interleukin-6 gene expression,1007
turnip yellow mosaic virus — The thermal stability and decapsidation mechanism of tymoviruses: A differential calorimetric study, 667
turnip yellow mosaic virus RNA — The TYMV tRNA-like structure, 569
tymovirus — Mosaic disease induced by turnip yellow mosaic *Tymovirus*, 555 — The thermal stability and decapsidation mechanism of tymoviruses: A differential calorimetric study, 667
tyrosyl tRNA synthetase — Discrimination between transfer-RNAs by tyrosyl-tRNA synthetase, 1099

U-V-W-X

UDP-glucose sterol glucosyl-transferase — UDP-glucose ß-D-glucosyltransferase, a plasma membrane-bound enzyme of plants: Enzymatic properties and lipid dependence, 713
unsaturated fatty acids — Peroxisomal ß-oxidation of polyunsaturated fatty acids, 175
urease — Monoclonal antibodies against urease from *Canavalia ensiformis*,1001
user interface — An overview of human-computer interaction, 321
viral messenger release — Coat protein stimulates replication complexes of alfalfa mosaic virus to produce virion RNAs *in vitro*, 617
viral particles — Characterization of different electrophoretic forms of cauliflower mosaic virus virions (strain Cabb-S), 645
viral RNA — Non-canonical substrates of aminoacyl-tRNA synthetases: The tRNA-like structure of brome mosaic virus genomic RNA, 1143
viriod infection — Inhibition of potato spindle tuber viriod (PSTVd) infection with DNA oligonucleotides, 63
virus proteins — Developments in the understanding of the particle structure of tobraviruses, 639
virus relationships — Serological relationships and epitope profiles of isolates of okra leaf curl geminivirus from Africa and the Middle East, 707
wheat germ extract — Characterization of ribonuclease H activities present in two cell-free synthesizing systems, the wheat germ extract and the rabbit reticulocyte lysate, 113
whitefly — Comparative epidemiology of three tropical whitefly-transmitted geminiviruses, 547
X-linked adrenoleukodystrophy — Adrenoleukodystrophy gene: Unexpected homology to a protein involved in peroxisome biogenesis, 293